Maharashtra Public Service Commission

Notations:

- 1. Options shown in green color and with ✓ icon are correct.
- 2. Options shown in red color and with **x** icon are incorrect.

MedicalOfficerGovernmentMedicalCollegesandHospitals **Question Paper Name:**

8 Jul 23 S2

Medical Officer Government Medical Colleges and **Subject Name:**

Hospitals Group B

Actual Answer Kev: Yes Calculator: None Magnifying Glass Required?: No Ruler Required?: No Eraser Required?: No Scratch Pad Required?: No Rough Sketch/Notepad Required?: No **Protractor Required?:** No **Show Watermark on Console?:** Yes No **Highlighter: Auto Save on Console?** Yes **Change Font Color:** No **Change Background Color:** No **Change Theme:** No No

Help Button:

Show Reports: No **Show Progress Bar:** No Is this Group for Examiner?: No

Cant View **Examiner permission:**

Show Progress Bar?: No

Medical Officer Government Medical Colleges and Hospitals Group B

Online **Section type: Enable Mark as Answered Mark for Review and Clear** Yes **Response:**

Maximum Instruction Time: 0 Is Section Default?: null

Question Number: 1 Question Id: 630680265552 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The National Malaria Control Programme that began in 1953 was converted to National Malaria Eradication Programme in

Options:

1. * 1954

2. 🐓 1958

- 3. * 1963
- 4. * 1972

Question Number: 2 Question Id: 630680265553 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The objectives of National framework for Malaria elimination includes ALL EXCEPT:

Options:

- 1. * By 2022 transmission of malaria interrupted and zero indigenous cases to be attained in all 26 states/UTs that were under categories 1 and 2 in 2014
- 2. * By 2024 incidence of malaria to be reduced to less than 1 case per 1000 population in all states and UTs
- 3. * By 2027 indigenous transmission of malaria to be interrupted in all states and UTs of India
- 4. V By 2033 Malaria to be eliminated throughout the entire country and re-establishment of transmission prevented

Question Number: 3 Question Id: 630680265554 Is Question Mandatory: No Calculator: None Respon
--

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The aim of sentinel surveillance programme in malaria is . .

Options:

- 1. * Mass screening of immigrants wherever necessary
- 2. * Mobile based surveillance where routine health services facilities are not available
- 3. For recording of all outpatient and inpatient cases of malaria and malaria related deaths in hospitals
- 4. * Active case detection in rural areas with blood smears

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Under National leprosy Eradication Programme more emphasis is being given on . .

Options:

- 1. ***** Detection of new cases
- 2. V Disability prevention and medical rehabilitation
- 3. **Completion of treatment**
- 4. * Providing financial support to patients

Question Number: 5 Question Id: 630680265556 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The Directly Observed Treatment Short course (DOTS) strategy is applied in the management of _____.

Options:

- 1. * Hypertension
- 2. * Diabetes Mellitus
- 3. ***** Malnutrition
- 4. V Tuberculosis

Question Number: 6 Question Id: 630680265557 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The target population of pulse polio immunization programme is . .

- 1. ✓ Children < 5 years of age
- 2. * Children > 5 years of age
- 3. **★** Children < 1 year of age
- 4. * School going children

Question Number: 7 Question Id: 630680265558 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The vaccine that is given only up to 1 year of age is _____.

Options:

- 1. **X** TT vaccine
- 2. ****** OPV
- 3. VBCG
- 4. **%** DPT

Question Number: 8 Question Id: 630680265559 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

ALL of the following were the targets for NHM under 12th FY plan EXCEPT:

Options:

- 1. ***** Reduce IMR to 25/1000 live births
- 2. Reduce MMR to 1/1000 live births
- 3. ✓ Reduce TFR to 1.2
- 4. * Annual malaria incidence to be 1/1000

Question Number: 9 Question Id: 630680265560 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Under the NUHM norms, one ANM is essential for outreach services of every population.

Options:

- 1. * 250
- 2. * 500
- 3. * 1000
- 4. 10000

Question Number: 10 Question Id: 630680265561 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The major interventions under RCH programme includes ALL EXCEPT:

Options:

- 1. * Essential obstetrics care
- 2. **See Immunization**
- 3. * Prevention and control of anemia in children
- 4. Prevention of non-communicable diseases in elderly

Question Number: 11 Question Id: 630680265562 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Under IDSP if the diagnosis is made on typical history and clinical examination by the medical officer, then it is called

Options:

- 1. * Syndromic diagnosis
- 2. Presumptive diagnosis
- 3. **Confirmed diagnosis**
- 4. * Differential diagnosis

Question Number: 12 Question Id: 630680265563 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

ALL of the following are causes for Distributive shock EXCEPT:

Options:

- 1. * Septic shock
- 2. * Anaphylaxis
- 3. * Spinal cord injury
- 4. Acute Haemorrhage

 $Question\ Number: 13\ Question\ Id: 630680265564\ Is\ Question\ Mandatory: No\ Calculator: None\ Response\ Time: Property of the Calculator of the Calculator of the Calculator: None\ Response\ Time: Property of the Calculator: None\ Time: Property of the Calculator: None\ Time: Property of the$

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

A delayed Haemorrhage occurring within 24 hours, which is usually due to dislodgement of clot by resuscitation, is called as

Options:

- 1. * Primary Haemorrhage
- 2. Reactionary Haemorrhage
- 3. * Secondary Haemorrhage
- 4. * Tertiary Haemorrhage

Question Number: 14 Question Id: 630680265565 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Major crossmatching prior to blood transfusion is usually done by mixing .

Options:

- 1. * Donor's cells and Recipient's cells
- 2. * Donor's serum and Recipient's serum
- 3. Donor's cells and Recipient's serum
- 4. * Donor's serum and Recipient's cells

Question Number: 15 Question Id: 630680265566 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

ALL of the following are advantages of minimal access surgery EXCEPT:

Options:

- 1. * Decrease in wound size
- 2. * Reduction in wound infection
- 3. Haemostasis achieved easily after arterial bleeding
- 4. ***** Improved mobility

Question Number: 16 Question Id: 630680265567 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks: 2 Wrong Marks: 0.5
Bilious vomiting, colicky pain and blood stools in a 2-year-old child is mostly suggestive of
Options:
1. ** Gastro oesophageal Reflex
2. ✓ Intussusception
3. * Infantile hypertrophic pyloric stenosis
4. * Acute appendicitis
Question Number: 17 Question Id: 630680265568 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 The ideal first test for hollow organ perforation is Options: 1. The erect chest X – ray
2. ** CT scan abdomen
3. ** USG abdomen
4. * Endoscopy
Question Number: 18 Question Id: 630680265569 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks: 2 Wrong Marks: 0.5
The surgical procedure that is associated with HIGH risk of Deep Vein Thrombosis (DVT) among the following is
Options:
1. * Maxillofacial surgery
2. * Cardio thoracic surgery
3. ✓ Total hip replacement
4. * Gynecological surgery
Question Number: 19 Question Id: 630680265570 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 A head injury is classified as Moderate, if the Glasgow coma scale (GCS) score is Options:
1. ** GCS 14 or 15 with LOC
2. ✓ GCS 9 - 13
3. * GCS 3 – 8
4. * GCS < 3
Question Number: 20 Question Id: 630680265571 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 A mannitol alkaline drip is very useful in management of
Options:
1. ✓ CRUSH injury
2. * GAS Gangrene
3. * Compartment syndrome
4. * Necrotizing fasciitis

Question Number: 21 Question Id: 630680265572 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 **Correct Marks: 2 Wrong Marks: 0.5** ALL of the following are the major determinants of the outcome of BURN'S patient EXCEPT: **Options:** 1. * Percentage surface are involved 2. ***** Depth of Burns 3. * Presence of an inhalational injury 4. Infection from the burns site Question Number: 22 Question Id: 630680265573 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 The commonly used colloid fluid for resuscitation in a burns patient is . . **Options:** 1. * Ringer's lactate 2. * Dextrose saline 3. Human Albumin Solution (HAS) 4. **See Normal saline** Question Number: 23 Question Id: 630680265574 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 **Correct Marks: 2 Wrong Marks: 0.5** The characteristic feature of subarachnoid Haemorrhage includes ALL EXCEPT: **Options:** 1. * Most result from rupture of an aneurysm of the circle of willis 2. **CT** scan is the imaging of first choice 3. Diagnostic LP is necessary in all cases 4. * Morbidity is significant due to vasospasm Question Number: 24 Question Id: 630680265575 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 In most emergency situations, the most direct and satisfactory method of securing the airway is ... **Options:** 1. * Percutaneous tracheostomy 2. V Endo tracheal intubation 3. * Cricothyroidotomy 4. * Trans tracheal ventilation Question Number: 25 Question Id: 630680265576 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 The most frequent life-threatening complication of thyroidectomy is ...

1. ✓ Haemorrhage
 2. ****** Recurrent lary

Options:

2. * Recurrent laryngeal Nerve paralysis

3. ****** Wound infection

4. * Thyrotoxic crisis

Question Number: 26 Question Id: 630680265577 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 **Correct Marks: 2 Wrong Marks: 0.5** The TRUE statement regarding insertion and managing a chest drain is: **Options:** 1. * A drain for pneumothorax should aim towards base of the lung. 2. It is preferable not to apply suction to the drain or clamp it. 3. * First ipsilateral pneumothorax is an indication for surgical intervention. 4. * The drain should ideally find the seventh intercostal space. Ouestion Number: 27 Question Id: 630680265578 Is Ouestion Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 Ruptured abdominal aortic aneurysm is suspected if the patient has triad of one of the following: **Options:** 1. * Syncope, hypotension, pulsatile abdominal mass 2. Severe abdominal/back pain, hypotension, syncope 3. Severe abdominal/back pain, hypotension, pulsatile abdominal mass 4. * Thready pulse, Pain abdomen, Syncope Question Number: 28 Question Id: 630680265579 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 The success rate after repair of major vein is . **Options:** 1. * 40 - 50 % 2. * 50 - 60 % 3. 470 - 80 % 4. * > 90 % Question Number: 29 Question Id: 630680265580 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 In an abdominal emergency presence of Grey turner and Cullen's sign is mostly suggestive of ... **Options:** 1. Acute pancreatitis 2. **Splenic injury** 3. * Acute appendicitis 4. ***** Cholelithiasis Question Number: 30 Question Id: 630680265581 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 The deepest and most common site of a subphrenic abscess is located at . . **Options:** 1. * Left subphrenic space

2. Left subhepatic space3. Right subphrenic space

4. **V** Right subhepatic space

Question Number: 31 Question Id: 630680265582 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The TRUE statement regarding Mallory - Weiss syndrome is:

Options:

- 1. * This occurs classically when person vomits against a closed glottis.
- 2. * Injury occurs at lowered third of oesophagus.
- 3. Forceful vomiting produces a mucosal tear at the cardiac end of stomach.
- 4. * It occurs during instrumentation therapeutic endoscopy.

Question Number: 32 Question Id: 630680265583 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Example for adynamic type of intestinal obstruction among the following is:

Options:

- 1. ✓ Paralytic ileus
- 2. * Intussusception
- 3. ***** Volvulus
- 4. ***** Bands/ adhesions

Question Number: 33 Question Id: 630680265584 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Fracture of upper pole of patella due to pull of quadriceps femoris muscle is an example for .

Options:

- 1. ***** Impacted fracture
- 2. * Stress fracture
- 3. * Compression fracture
- 4. Avulsion fracture

Question Number: 34 Question Id: 630680265585 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

ALL of the following are characteristics of Atrophic type of NON-UNION EXCEPT:

Options:

- 1. * The fragments are inert and avascular
- 2. There is a sclerosis of fracture surfaces and closure of medullary canal radiologically
- 3. * The ends are tapering, osteoporotic and very mobile
- 4. * There may be formation of a fake joint with even a synovial lining

Question Number: 35 Question Id: 630680265586 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The most commonly involved nerve as a complication of supracondylar fractures is . .

- 1. * Median nerve
- 2. Anterior interosseous nerve

3. * Radial nerve
4. % Ulnar nerve
Question Number: 36 Question Id: 630680265587 Is Question Mandatory: No Calculator: None Response Time:
N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks : 2 Wrong Marks : 0.5
The Galeazzi fracture dislocation is
Options:
1. ✓ Fracture of distal shaft of radius associated with dislocation of ulna
2. * Fracture of proximal third of ulna with dislocation of the head of radius
3. * Fracture of lower third of ulna without displacement
4. * Fracture separation of lower radial epiphysis
Question Number: 37 Question Id: 630680265588 Is Question Mandatory: No Calculator: None Response Time:
N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks : 2 Wrong Marks : 0.5
Garden classification for fracture neck of femur is based on .
Options:
1. * Anatomic site
2. * Fracture angle
3. Displacement of femoral head
4. * Extent of comminution
Question Number: 38 Question Id: 630680265589 Is Question Mandatory: No Calculator: None Response Time:
N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks: 2 Wrong Marks: 0.5
As per Tscherne classification for open fractures, A fracture with heavy contamination, Excessive soft tissue damage associated with neural injuries comes under
Options:
1. * Grade I
2. * Grade II
3. ✓ Grade III
4. * Grade IV
Question Number: 39 Question Id: 630680265590 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks : 2 Wrong Marks : 0.5
The recommended holding period and temperature to be maintained for sterilising glassware, forceps, scissors is .
Options:
1. x 120°C for 45 minutes
2. 160°C for 60 minutes
3. x 180°C for 7.5 minutes
4. * 180°C for 30 minutes
Question Number: 40 Question Id: 630680265591 Is Question Mandatory: No Calculator: None Response Time:
N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks: 2 Wrong Marks: 0.5
The most heat resistant cells among the following is
Options:

- 1. * Mycobacteria
- 2. **S** Brucella
- 3. V Clostridium Botulinum
- 4. * Staphylococcus aureus

Question Number: 41 Question Id: 630680265592 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The efficacy of moist heat sterilization is determined by using _____.

Options:

- 1. ✓ Spores of Bacillus stearothermophilus
- 2. * Spores of Clostridium Botulinum
- 3. * Polio virus
- 4. * Hepatitis B virus

Question Number: 42 Question Id: 630680265593 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Disinfection of enclosed areas such as entry ways, Operation theatres and laboratories are done by using .

Options:

- 1. * Infrared radiation
- 2. VUltraviolet radiation
- 3. * High energy electron radiation
- 4. **See Manual Section**

Question Number: 43 Question Id: 630680265594 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

ALL of the following are characteristics of Ethylene oxide EXCEPT:

Options:

- 1. **X** IIt is a highly penetrating gas with a boiling point of 10.7°C.
- 2. * It acts by alkylating the amino, carboxyl, hydroxyl and sulfhydryl groups in protein molecules.
- 3. VIt is most suitable for fumigating rooms.
- 4. * It is especially used for sterilising heart lung machines, respirators.

Question Number: 44 Question Id: 630680265595 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

ALL of the following belongs to Aniline group of dyes EXCEPT:

Options:

- 1. * Brilliant green
- 2. ****** Malachite green
- 3. **Crystal violet**
- 4. V Proflavine

Question Number: 45 Question Id: 630680265596 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

ALL of the following are characteristics of GRADENIGO'S SYNDROME EXCEPT:

Options:

- 1. ✓ Paralysis of contralateral face (VII N) involvement
- 2. **3** Otorrhea
- 3. Retro orbital pain (V N) involvement
- 4. * Lateral rectus palsy (VI N) involvement

Question Number: 46 Question Id: 630680265597 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5
Griesinger sign is positive in a case of _____.

Options:

- 1. * Extradural abscess
- 2. ***** Petrositis
- 3. Lateral sinus Thrombosis
- 4. Subdural abscess

Question Number: 47 Question Id: 630680265598 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The artery of Epistaxis is _____.

Options:

- 1. ***** Greater palatine artery
- 2. * Superior labial branch of facial artery
- 3. * Anterior ethmoidal artery
- 4. Sphenopalatine artery

Question Number: 48 Question Id: 630680265599 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The 'Hutchinson's triad' in suspected cases of congenital syphilis includes ALL EXCEPT:

Options:

- 1. * Widely spaced 'Peg' shaped teeth
- 2. * Neuronal deafness
- 3. * Interstitial keratitis
- 4. ✓ Keratonus

Question Number: 49 Question Id: 630680265600 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The common symptom of acute primary angle closure glaucoma is ...

Options:

- 1. ✓ Severe ocular pain associated with red eye
- 2. * Profound decrease in vision
- 3. * Coloured haloes may be reported
- 4. * Severe headache, nausea and vomiting

Question Number: 50 Question Id: 630680265601 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The presentation of 'Pupillary hypopyon' with fibrous obscuring the pupil is seen with
Options:
1. ✓ Klebsiella pneumoniae
2. * Group B Streptococcus
3. ** Nocardia asteroides
4. * Mycobacterium tuberculosis
Question Number: 51 Question Id: 630680265602 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks: 2 Wrong Marks: 0.5
In case of Retinopathy of prematurity, if a demarcation line is seen between the vascular and avascular retina, then it indicates
Options:
1. ✓ Stage 1
2. * Stage 2
3. * Stage 3
4. % Stage 4
Question Number: 52 Question Id: 630680265603 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks: 2 Wrong Marks: 0.5
In case of traumatic hyphema, if there is gross layering of the red blood cells involving more than half of anterior chamber, then it belongs to
Options:
1. * Grade I
2. * Grade II
3. Grade III
4. * Grade IV
Question Number: 53 Question Id: 630680265604 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 Based on Naegele's formula, labour starts mostly on Options: 1. ** The expected date 2. ** 1 week on either side 3. ** 2 weeks earlier and 1 week later
4. * At 42 weeks
Question Number: 54 Question Id: 630680265605 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks: 2 Wrong Marks: 0.5
ALL of the following are causes for onset of labour EXCEPT:
Options:
 W Uterine stretch increases gap junction proteins, receptors for oxytocin W Increased CRH – Increased ACTH - Increased cortisol
 3. ** Increased CRH – Increased ACTH - Increased cortisol 3. ** Increased fetal production of Dehydroepiandrosterone sulfate (DHEA - S)
4. ✓ It is the fall in progesterone rather than alteration in the oestrogen – progesterone ratio causes PG synthesis

Question Number: 55 Question Id: 630680265606 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The commonest cause of Postpartum Hemorrhage is _____.

Options:

- 1. ✓ Atonicity of uterus
- 2. * Trauma to the genital tract
- 3. **Retained tissues**
- 4. **Blood coagulopathy**

Question Number: 56 Question Id: 630680265607 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Dangerous placenta praevia is the name given to _____ placenta praevia

Options:

- 1. **%** Type I
- 2. ✓ Type II
- 3. **X** Type III
- 4. X Type IV

Question Number: 57 Question Id: 630680265608 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

ALL of the following are characteristics of COUVELAIRE UTERUS EXCEPT:

Options:

- 1. * It is a severe form of concealed abruptio placenta
- 2. * There is massive intravasation of blood into uterine musculature up to serous coat
- 3. * The condition can only be diagnosed on laparotomy
- 4. The presence of Couvelaire uterus as observed during caesarian section is an indication perse for hysterectomy

Question Number: 58 Question Id: 630680265609 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks : 2 Wrong Marks : 0.5

Phenobarbital is NOT an effective agent for:

Options:

- 1. **x** generalized tonic-clonic
- 2. ***** focal-to-bilateral tonic-clonic
- 3. ✓ tonic-clonic of known onset
- 4. ****** focal seizures

Question Number: 59 Question Id: 630680265610 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Identify incorrect pair of Antidote and their poisoning indications.

- 1. * Benztropine Drug-induced dystonia (diphenhydramine)
- 2. * Deferoxamine Iron
- 3. Penicillamine Opioids
- 4. * Hydroxocobalamin hydrochloride Cyanide

Question Number: 60 Question Id: 630680265611 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Identify the wrongly matched pair.

Options:

- 1. * First generation Cefazolin
- 2. ✓ Second generation Cefotaxime
- 3. * Third generation Ceftibuten
- 4. * Anti-MRSA cephalosporins Ceftaroline

Question Number: 61 Question Id: 630680265612 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Bacteria may NOT be resistant to aminoglycosides through which of the following?

Options:

- 1. * failure of the antibiotic to penetrate intracellularly
- 2. * inactivation of the drug by microbial enzymes
- 3. * low affinity of the drug for the bacterial ribosome
- 4. ✓ high affinity of the drug for the bacterial lysosome

Question Number: 62 Question Id: 630680265613 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following statement is true about Metronidazole?

Options:

- 1. * Metronidazole displays excellent activity against most aerobic bacteria
- 2. * It lacks activity against anaerobic bacteria. Acquired resistance is common
- 3. Metronidazole is a nitroimidazole with broad activity against parasites
- 4. * Typical doses are 250–500 mg once daily, via the intramuscular or oral routes.

Question Number: 63 Question Id: 630680265614 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Identify the wrongly matched pair.

Options:

- 1. * Trifluridine ophthalmic
- 2. * Cidofovir Intravenous
- 3. * Fomivirsena Intravitreal
- 4. Zanamivir Topical

Question Number: 64 Question Id: 630680265615 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Rectified Spirit is to be used in the preservation of viscera in which of the following case?

- 1. * Alcohol Poisoning
- 2. * Phenol Poisoning
- 3. ✓ Nicotine Poisoning

4. * Paraldehyde poisoning

Question Number: 65 Question Id: 630680265616 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following is NOT a typical composition used in embalming procedures?

Options:

- 1. ***** Preservative
- 2. **See Buffer**
- 3. ✓ Drying agent
- 4. **%** Perfume

Question Number: 66 Question Id: 630680265617 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

"Round" cross-section differentiating feature of hair differentiates which of the following race from another?

Options:

- 1. ✓ Mongolian
- 2. * Negro
- 3. **Caucasians**
- 4. * Australian

Question Number: 67 Question Id: 630680265618 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Tanner's grading is based on _____.

Options:

- 1. * Racial differentiation
- 2. * Age maturation
- 3. * Sex differentiation
- 4. Sexual maturation

Question Number: 68 Question Id: 630680265619 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

'Ochre' dye is used to impart which of the following colors in tattoo marks?

Options:

- 1. * Black
- 2. W Brown
- 3. **%** Grey
- 4. ***** Blue

Question Number: 69 Question Id: 630680265620 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Aluminium dust spread over with camel brush, adheres to the sebaceous secretion of the print and makes prominent the ridges over which kind of surface?

Options:

1. * Light colored surface

- 2. ✓ Dark colored surface
- 3. **Porous surface**
- 4. **%** Pliable surface

Question Number: 70 Question Id: 630680265621 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following is used to for cutting the ribs and opening the thoracic cavity?

Options:

- 1. **✓** Costotome
- 2. ***** Enterotome
- 3. **Metzenbaum** scissors
- 4. **%** Caltin knife

Question Number: 71 Question Id: 630680265622 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Algor Mortis, a post-mortem phenomena is based on the principles laid down by whom?

Options:

1. * Walther Nernst

2. * Dr. K. S. Narayan Reddy

3. * Rudolf Clausius

4. Sir Isaac Newton

Question Number: 72 Question Id: 630680265623 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following stands out of the differential diagnosis to the post-mortem phenomena of Rigor Mortis?

Options:

- 1. * Cadaveric spasm
- 2. * Heat stiffening
- 3. **Cold stiffening**
- 4. Warm stiffening

Question Number: 73 Question Id: 630680265624 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Goldilocks phenomenon in regard to atmospheric conditions are required for the formation of which of the following?

Options:

- 1. * Secondary Relaxation
- 2. * Cadaveric Spasm
- 3. ✓ Adipocere
- 4. **%** Livor Mortis

Question Number: 74 Question Id: 630680265625 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

'Excusable Homicide' CANNOT be dealt under which of the following section of Indian Penal Code?

- 1. **✓** Section 78
- 2. **Section** 88
- 3. ***** Section 84
- 4. **Section** 94

Question Number: 75 Question Id: 630680265626 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5 Hyperextension - hyperflexion injury is:

Options:

- 1. ***** Jefferson's fracture
- 2. * Hangman's fracture
- 3. ****** Burking
- 4. Whiplash

Question Number: 76 Question Id: 630680265627 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Extradural hemorrhage results in death with which of the commonest cause?

Options:

- 1. * Neurogenic shock
- 2. * Cardiac failure
- 3. **V** Respiratory failure
- 4. * Hemorrhagic shock

Question Number: 77 Question Id: 630680265628 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

The test of "lateral buttock traction" is done in which of the following case?

Options:

- 1. * Accused of sodomy
- 2. ✓ Victim of sodomy
- 3. * Accused of necrophilia
- 4. Wictim of necrophilia

Question Number: 78 Question Id: 630680265629 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

What among the following is NOT an accepted age of informed consent when taken from the victim itself for examination of victim of sexual assault?

Options:

- 1. **1** 14 years
- 2. **×** 18 years
- 3. **2**1 years
- 4. **3** 70 years

Question Number: 79 Question Id: 630680265630 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which one of the following is NOT collected in SAFE?

Options:

- 1. **See Buccal swab**
- 2. ***** Anal swab
- 3. * Nail scrapings
- 4. ✓ Hair combings

Question Number: 80 Question Id: 630680265631 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

In case of cardiac failure associated with acute pulmonary edema, what is true about the treatment given?

Options:

- 1. * Nitrates should be avoided if the systolic blood pressure < 140 mm Hg
- 2. V Furosemide therapy given IV reduces preload and afterload
- 3. * Controlled oxygen therapy should be restricted to 28% oxygen in patients who has a habit of smoking
- 4. * ACE inhibitors decreases the afterload but increases the preload

Question Number: 81 Question Id: 630680265632 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

What is true regarding treatment of thromboembolism?

Options:

- 1. Heparin infusion should be given until warfarin therapy has become effective
- 2. **24%** oxygen therapy should correct hypoxaemia
- 3. * Warfarin therapy should be continued for 4 weeks
- 4. * Streptokinase therapy should be given immediately

Question Number: 82 Question Id: 630680265633 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

What is true regarding acute water intoxication?

Options:

- 1. * Urinary osmolality 290/kg
- 2. * Clinical evidence of increased extracellular fluid volume
- 3. ✓ Serum sodium concentration <130 mmol/L
- 4. * Prompt response to 1 L of normal sodium chloride

Question Number: 83 Question Id: 630680265634 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following is characteristic feature of testicular tumor?

Options:

- 1. * Testicular pain in seminoma of testis
- 2. * Absence of distant metastases
- 3. ✓ Secretion of alpha fetoprotein and chronic gonadotropin by teratomas
- 4. * Peak incidence after the age of 60 years

Question Number: 84 Question Id: 630680265635 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

In case of suspicion of acute gastro-duodenal hemorrhage:

Options:

- 1. * Hypotension without a tachycardia suggests an alternative diagnosis
- 2. * Absence of anemia suggests volume of blood is modest
- 3. * Nasogastric aspiration provides an accurate estimate of blood loss
- 4. ✓ Endoscopy is best deferred pending blood volume replacement

Question Number: 85 Question Id: 630680265636 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the given statement stands correct about the biliary tract?

Options:

- 1. * Bile and pancreatic ducts usually join duodenum separately
- 2. * Right and left hepatic ducts join to form the common bile duct
- 3. ✓ 1-2 liters of bile are secreted daily and concentrated 10 fold in the gall bladder
- 4. * Gallbladder is chiefly innervated by sympathetic nerves

Question Number: 86 Question Id: 630680265637 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

What is true regarding the fact about Hemoglobin?

Options:

- 1. * F comprises two alpha and two delta chains
- 2. * A₂ comprises two alpha and two gamma chains
- 3. V Is an important buffer of carbonic acid
- 4. * Oxygen binding is increased by 2,3 diphosphoglycerate within the red cells

Question Number: 87 Question Id: 630680265638 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which among the following is NOT true about recognized features of primary Sjögren's syndrome?

Options:

- 1. * An increased incidence of lymphoma
- 2. More males affected than females
- 3. * Reduced lacrimal secretion rate
- 4. * Dryness of eyes, mouth and vagina

Question Number: 88 Question Id: 630680265639 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which among the following do NOT represents fact about psoriasis?

- 1. ✓ If one of the parents is affected, then the child has 50% chance of developing the disease
- 2. * Cellular infiltrate is typically lymphocytic
- 3. * Nail pitting is associated with distal interphalangeal arthropathy
- 4. * About 5% of patient develop arthropathy

Question Number: 89 Question Id: 630680265640 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following is NOT a typical feature of posterior parietal lobe lesions?

Options:

- 1. * Perceptual rivalry
- 2. * Agnosia and acalculia
- 3. ✓ Motor dysphasia
- 4. * Constructional apraxia

Question Number: 90 Question Id: 630680265641 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which among the following is NOT most important reflexes to assess during the newborn period?

Options:

- 1. **Moro reflex**
- 2. ****** Rooting reflex
- 3. Symmetric tonic neck reflex
- 4. **Crasp reflex**

Question Number: 91 Question Id: 630680265642 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following is NOT correctly matched for the pair of medicine with its side effects regarding clean out disimpaction?

Options:

- 1. * Normal saline Abdominal cramping
- 2. Magnesium citrate Hypomagnesemia
- 3. * Glycerin suppositories No side effects
- 4. * Enema risk of mechanical trauma

Question Number: 92 Question Id: 630680265643 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which among the following is NOT correctly matched for Disease Associated with Childhood Obesity and its manifestation?

Options:

- 1. * Cushing syndrome Adrenal hyperplasia or pituitary tumor
- 2. * Myelodysplasia Spina bifida
- 3. W Hypoinsulinism Nesidioblastosis
- 4. * Pseudohypoparathyroidism Variable hypocalcemia

Question Number: 93 Question Id: 630680265644 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

In which of the following deficiency, zebra stripping of hair is characteristically found?

- 1. ✓ Zinc
- 2. * Fatty acid

- 3. **Service** Biotin
- 4. X Vitamin A

Question Number: 94 Question Id: 630680265645 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following statement is true about Patent ductus arteriosus?

Options:

- 1. * Narrow pulse pressure as an indicator of large left to right shunt is seen.
- 2. Wide pulse pressure as an indicator of large left to right shunt is seen.
- 3. * Wide pulse pressure as an indicator of large right to left shunt is seen.
- 4. * Narrow pulse pressure as an indicator of large right to left shunt is seen.

Question Number: 95 Question Id: 630680265646 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

An asymmetrical Intra-uterine Growth Restriction does NOT affect:

Options:

- 1. * Liver
- 2. V Brain
- 3. Subcutaneous fat
- 4. * Muscle

Question Number: 96 Question Id: 630680265647 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Choose the correct order of fat content in the milk.

Options:

- 1. * Sheep's milk < Buffalo's milk < Goat's milk < Human's milk
- 2. * Sheep's milk > Buffalo's milk > Cow's milk = Human's milk
- 3. ✓ Sheep's milk > Buffalo's milk > Goat's milk > Human's milk
- 4. * Sheep's milk > Buffalo's milk > Cow's milk < Human's milk

Question Number: 97 Question Id: 630680265648 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which of the following investigation is most preferred for evaluation of vesicoureteral reflux?

Options:

- 1. **SET USG bladder**
- 2. **3** Uroflometry
- 3. ****** Intravenous urography
- Voiding cystourethrography

Question Number: 98 Question Id: 630680265649 Is Question Mandatory: No Calculator: None Response Time:

N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Fill in the blanks with appropriate options.

HIV infection can be diagnosed definitively by of age and in virtually all infected infants by of age.

Options:

- 1. ***** 10 days; 6 weeks
- 2. **2** weeks; 3 weeks
- 3. **2** months; 4 months
- 4. \(\psi \) 1 month; 6 months

Question Number: 99 Question Id: 630680265650 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Identify the incorrect pair among given Congenital Malformation Syndromes Associated with Congenital Heart Disease.

Options:

- 1. * Marfan syndrome Dilated and dissecting aorta
- 2. * William syndrome Supravalvular aortic stenosis
- 3. Asplenia syndrome Atrial septal defect
- 4. * Fetal hydantoin syndrome Tetralogy of Fallot

Question Number: 100 Question Id: 630680265651 Is Question Mandatory: No Calculator: None Response Time

: N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks: 2 Wrong Marks: 0.5

Identify X in the given formula.

$$X = \frac{Pretest\ probability\ imes\ Sensitivity}{Pretest\ probability\ imes\ Sensitivity}$$

 $X = \frac{1}{Pretest\ probability\ \times\ Sensitivity + (1 - Pretest\ Probability) \times False\ positive\ rate}$

- 1. * positive diagnostic test result
- 2. Posttest probability
- 3. **★** Non predictive value
- 4. * Likelihood ratio