

परीक्षेचे नांव : सहायक प्राध्यापक, स्थापत्य अभियांत्रिकी, अस्वायत्त शासकीय अभियांत्रिकी महाविद्यालय,
महाराष्ट्र अभियांत्रिकी महाविद्यालयीन शिक्षक सेवा, गट -अ, चाळणी परीक्षा-2014
परीक्षेचा दिनांक : 27 जुलै, 2014

महाराष्ट्र लोकसेवा आयोगामार्फत सहायक प्राध्यापक, स्थापत्य अभियांत्रिकी, अस्वायत्त शासकीय अभियांत्रिकी महाविद्यालय, महाराष्ट्र अभियांत्रिकी महाविद्यालयीन शिक्षक सेवा, गट -अ, चाळणी परीक्षा-२०१४ या चाळणी परीक्षेच्या प्रश्नपत्रिकेची उत्तरतालिका उमेदवारांच्या माहितीसाठी संकेतस्थळावर प्रसिध्द करण्यात आली होती. उमेदवारांनी अधिप्रमाणित (Authentic) स्पष्टीकरण / संदर्भ देऊन पाठविलेली लेखी निवेदने, तसेच तज्ज्ञांचे अभिप्राय विचारात घेऊन आयोगाने उत्तरतालिका सुधारित केली आहे. या उत्तरतालिकेतील उत्तरे अंतिम समजण्यात येतील. यासंदर्भात आलेली निवेदने विचारात घेतली जाणार नाहीत व त्याबाबत कोणताही पत्रव्यवहार केला जाणार नाही, याची कृपया नोंद घ्यावी.

उत्तरतालिका - KEY

Maharashtra Public Service Commission

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name:	Assistant Professor Civil ACTUAL
Subject Name:	Assistant Professor Civil
Creation Date:	2014-07-23 14:07:18.0
Cut Off:	10
Duration:	60
Number of Questions:	100

Group 1

Group Number :	1
Group Id :	71
Group Maximum Duration :	0
Group Minimum Duration :	60
Revisit allowed for view? :	No
Revisit allowed for edit? :	No
Break time:	0

Assistant Professor Civil

Section Id :	101
Section Number :	1
Section type :	Online
Mandatory or Optional:	Mandatory
Number of Questions:	100
Number of Questions to be attempted:	100

Sub-Section Number:	1
Sub-Section Id:	111
Question Shuffling Allowed :	No

Question Number : 1 Question Id : 8613 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

In dugout well the discharge should be -

Options :

1. ✗ $10\text{m}^3/\text{hrs}$
2. ✗ $15\text{m}^3/\text{hrs}$

3. ✓ $20\text{m}^3/\text{hrs}$

4. ✗ $50\text{m}^3/\text{hrs}$

Question Number : 2 Question Id : 8614 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The method by which the increase in population can be exactly predicted is known as :-

Options :

1. ✗ Arithmetical increase method

2. ✓ Geometrical increase method

3. ✗ Incremental increase method

4. ✗ Graphic method

Question Number : 3 Question Id : 8615 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The permissible limit of turbidity for domestic water supply is:-

Options :

1. ✗ 2 to 5 ppm

2. ✓ 5 to 10 ppm

3. ✗ 10 to 15 ppm

4. ✗ 15 to 20 ppm

Question Number : 4 Question Id : 8616 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The first stage of water treatment is:-

Options :

1. ✓ Mixing and coagulation

2. ✗ Sedimentation

3. ✗ Filtration

4. ✗ Disinfection

Question Number : 5 Question Id : 8617 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

In India the water distribution system which is not commonly used is:-

Options :

1. ✘ Ring system
2. ✔ Radial system
3. ✘ Dead end system
4. ✘ Grid iron system

Question Number : 6 Question Id : 8618 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

In combined system of sewerage the following flows together -

Options :

1. ✘ Domestic waste and Industrial waste
2. ✘ Garbage and Rain water
3. ✘ Industrial waste and Rain water
4. ✔ Dry weather flow and Rain water

Question Number : 7 Question Id : 8619 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The opening left on sewage drain line is known as:-

Options :

1. ✘ Lamp hole
2. ✔ Man hole
3. ✘ Inspection chamber
4. ✘ Street inlets

Question Number : 8 Question Id : 8620 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The pathogens can be killed by the following treatment -

Options :

1. ✔ Chlorination
2. ✘ Oxidation
3. ✘ Nitrification
4. ✘ Ozone

Question Number : 9 Question Id : 8621 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Simple trickling filter removes B.O.D upto -

Options :

1. ✘ 70%
2. ✔ 90%
3. ✘ 95%
4. ✘ 100%

Question Number : 10 Question Id : 8622 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The presence of one or more contaminants in the atmosphere which are injurious to human, plant or animal life is termed as:

Options :

1. ✘ Water pollution
2. ✘ Marine pollution
3. ✔ Air pollution
4. ✘ Sound pollution

Question Number : 11 Question Id : 8623 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Which one is not the man made sources of air pollution

Options :

1. ✘ Combustion of fuels
2. ✘ Agricultural activities
3. ✔ Radioactive materials
4. ✘ Rapid industrialization

Question Number : 12 Question Id : 8624 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Which pollutants react with the hemoglobin in the blood and reduce its oxygen carrying capacity-

Options :

1. ✘ SO_2, NO_x
2. ✘ $\text{H}_2\text{S}, \text{NO}_2$

3. ✘ Polycyclic organic compounds

4. ✔ CO, NO

Question Number : 13 Question Id : 8625 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The worst tragic accident of air pollution took place in Bhopal, Madhya Pradesh as Gas disaster which took a toll over 10,000 human lives. This accident was on –

Options :

1. ✘ 12-02-1984

2. ✘ 09-03-1984

3. ✘ 03-09-1984

4. ✔ 03-12-1984

Question Number : 14 Question Id : 8626 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Any unwanted electromagnetic signal that produces a displeasing effect and which interferes with human communication, comfort and health is known as-

Options :

1. ✘ Water pollution

2. ✘ Air pollution

3. ✘ Marine pollution

4. ✔ Noise pollution

Question Number : 15 Question Id : 8627 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Which one is not the physical effect of noise -

Options :

1. ✘ Auditory effects

2. ✔ Cardio vascular system effect

3. ✘ Speech interference

4. ✘ Effects on working efficiency

Question Number : 16 Question Id : 8628 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The noise level of normal conversation is taken as-

Options :

1. ✓ 40 (db)
2. ✗ 50 (db)
3. ✗ 60 (db)
4. ✗ 70 (db)

Question Number : 17 Question Id : 8629 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Planting green trees along roads, hospital, educational institute gives-

Options :

1. ✗ More noise
2. ✓ Reduce noise to considerable extent
3. ✗ Shadow but not reduce noise
4. ✗ Checks air pollution but not noise pollution

Question Number : 18 Question Id : 8630 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

When the brakes are applied and the vehicle moves without rotation of wheels is known as

Options :

1. ✗ Slipping
2. ✓ Skidding
3. ✗ Moving
4. ✗ Travelling

Question Number : 19 Question Id : 8631 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

According to I.R.C., the value of camber in cement concrete roads should be:-

Options :

1. ✗ 1 in 20 to 24
2. ✗ 1 in 30 to 48
3. ✗ 1 in 48 to 60
4. ✓ 1 in 60 to 72

Question Number : 20 Question Id : 8632 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

According to I.R.C., the minimum width of a carriage way for two way road should be:-

Options :

1. ✓ 7.5 m
2. ✗ 10 m
3. ✗ 12.5 m
4. ✗ 15 m

Question Number : 21 Question Id : 8633 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

How many meters ahead, the sign indicator disc for speed limit on National and State highway should be provided-

Options :

1. ✗ 80 m
2. ✗ 60 m
3. ✓ 120 m
4. ✗ 100 m

Question Number : 22 Question Id : 8634 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The mixture of National pyrogenous hydrocarbon and its non-metallic derivatives which dissolves in carbon disulphide is called as:-

Options :

1. ✗ Petroleum
2. ✗ Cut back emulsion
3. ✓ Bitumen
4. ✗ Asphalt

Question Number : 23 Question Id : 8635 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

According to I.R.C., for providing pre-mixed bitumen carpet, the grade of bitumen should be:-

Options :

1. ✘ 180/200

2. ✘ 100/120

3. ✔ 80/100

4. ✘ 60/80

Question Number : 24 Question Id : 8636 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

As per I.R.C., the critical slope on hill roads should not be more than

Options :

1. ✘ 1 in 12

2. ✔ 1 in 15

3. ✘ 1 in 20

4. ✘ 1 in 30

Question Number : 25 Question Id : 8637 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The drain made on upper side of hills slope is known as:-

Options :

1. ✘ Side drain

2. ✔ Catch water drain

3. ✘ Under drain

4. ✘ Cross drain

Question Number : 26 Question Id : 8638 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

On road sides the plantation of trees and taking their care till its self survival is known as

Options :

1. ✘ Pruning

2. ✘ Lopping

3. ✘ Landscape

4. ✔ Arboriculture

Question Number : 27 Question Id : 8639 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Holes of 10cm to 12cm diameter made in abutment wall to drain out seepage water are known as:-

Options :

1. ✘ Scuppers
2. ✘ Saucer drain
3. ✔ Weep holes
4. ✘ Honey combing

Question Number : 28 Question Id : 8640 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

As per Indian standard, the length of one link of a 30m long chain, will be-

Options :

1. ✘ 10 cm
2. ✔ 20 cm
3. ✘ 30 cm
4. ✘ 40 cm

Question Number : 29 Question Id : 8641 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Due to bad ranging the error in length will be termed as:-

Options :

1. ✔ Cumulative error
2. ✘ Compensating error
3. ✘ Neutral error
4. ✘ Some time cumulative and some time compensative error

Question Number : 30 Question Id : 8642 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Optical square works on the principle of -

Options :

1. ✘ Reflection
2. ✘ Refraction

3. ✘ Double refraction

4. ✔ Double reflection

Question Number : 31 Question Id : 8643 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

In a closed polygon if the numbers of sides are 'n' then the sum of all the exterior angles(in degree) will be given by -

Options :

1. ✘ $(n+2) \times 90$

2. ✔ $(2n+4) \times 90$

3. ✘ $(2n-4) \times 90$

4. ✘ $(4n-2) \times 90$

Question Number : 32 Question Id : 8644 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

An imaginary line joining the point of zero declination on the earth surface is known as –

Options :

1. ✘ Magnetic declination line

2. ✔ Agonic line

3. ✘ Isoclinic line

4. ✘ Isogonic line

Question Number : 33 Question Id : 8645 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

For exact centering of plane table, the following instrument is used -

Options :

1. ✘ Spirit level

2. ✔ Plumbing fork

3. ✘ Alidade

4. ✘ Ranging rod

Question Number : 34 Question Id : 8646 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

In a theodolite the telescope is rotated by 180° in its vertical plane along horizontal axis is known as:-

Options :

1. ✘ Back sighting
2. ✘ Inverting the telescope
3. ✔ Transiting
4. ✘ Swinging of telescope

Question Number : 35 Question Id : 8647 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Which one of the following instrument will give the horizontal as well as vertical angles very accurately?

Options :

1. ✘ Tangent clinometer
2. ✔ Theodolite
3. ✘ Prismatic compass
4. ✘ Surveyer's compass

Question Number : 36 Question Id : 8648 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The instrument used to reproduce, enlarge or reduce the given map is termed as:-

Options :

1. ✘ Planimeter
2. ✘ Box- sextant
3. ✔ Pentagraph
4. ✘ Cardiograph

Question Number : 37 Question Id : 8649 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

When the products of rock weathering are not transported but remain at the place of formation, the soil is called -

Options :

1. ✘ Alluvial soil

2. ✘ Talus
3. ✔ Residual soil
4. ✘ Aeolian soil

Question Number : 38 Question Id : 8650 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

The most accurate method for the determination of water content in the laboratory is:-

Options :

1. ✘ Sand bath method
2. ✔ Oven drying method
3. ✘ Pycnometer method
4. ✘ Calcium carbide method

Question Number : 39 Question Id : 8651 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

The particle size distribution curve with a hump is obtained for a:-

Options :

1. ✘ Uniform soil
2. ✘ Well - graded soil
3. ✔ Gap- graded soil
4. ✘ Poorly- graded soil

Question Number : 40 Question Id : 8652 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

A stiff clay has a consistency index of:-

Options :

1. ✘ Less than 50
2. ✘ 50 to 75
3. ✔ 75 to 100
4. ✘ Greater than 100

Question Number : 41 Question Id : 8653 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

According to I.S. Classification system, the soils can be classified into:-

Options :

1. ✓ 18 groups
2. ✗ 15 groups
3. ✗ 7 groups
4. ✗ 3 groups

Question Number : 42 Question Id : 8654 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The permeability of soil varies:-

Options :

1. ✗ Inversely as square of grain size
2. ✗ As grain size
3. ✓ As Square of grain size
4. ✗ Inversely as void ratio

Question Number : 43 Question Id : 8655 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The coefficient of permeability of clay is generally

Options :

1. ✗ 10^{-2} to 10^{-4} mm/s
2. ✗ 10^{-4} to 10^{-5} mm/s
3. ✓ 10^{-5} to 10^{-8} mm/s
4. ✗ Less than 10^{-8} mm/s

Question Number : 44 Question Id : 8656 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

A flow net can be used to determine -

Options :

1. ✗ Seepage, coefficient of permeability and uplift pressure
2. ✗ Seepage, coefficient of permeability and exit gradient

3. ✓ Seepage, exit gradient and uplift pressure

4. ✗ Seepage and exit gradient only

Question Number : 45 Question Id : 8657 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The coefficient of compressibility is the ratio of-

Options :

1. ✓ Change in Void ratio to change in effective stress

2. ✗ Volumetric strain to change in effective stress

3. ✗ Change in thickness to change in effective stress

4. ✗ Stress to strain

Question Number : 46 Question Id : 8658 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

With an increase in the liquid limit, compression index –

Options :

1. ✗ Decreases

2. ✓ Increases

3. ✗ Remain constant

4. ✗ May increase or decrease

Question Number : 47 Question Id : 8659 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Coulomb's equation for shear strength can be represented as -

Options :

1. ✗ $C = S + \sigma \cdot \tan \phi$

2. ✓ $C = S - \sigma \cdot \tan \phi$

3. ✗ $S = \sigma + C \tan \phi$

4. ✗ $S = C - \sigma \cdot \tan \phi$

Question Number : 48 Question Id : 8660 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Vibratory rollers are best suited for compacting -

Options :

1. ✓ Coarse sand and gravels
2. ✗ Silts
3. ✗ Clays
4. ✗ Organic soils

Question Number : 49 Question Id : 8661 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

For a standard compaction test, the mass of hammer and the drop of hammer are as follows:-

Options :

1. ✗ 2.6 kg and 450 mm
2. ✓ 2.6 kg and 310 mm
3. ✗ 4.8 kg and 310 mm
4. ✗ 4.89 kg and 450 mm

Question Number : 50 Question Id : 8662 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

A shallow foundation is usually defined as a foundation which has-

Options :

1. ✗ Depth less than 0.6 m
2. ✓ Depth less than its width
3. ✗ Depth less than 1.0 m
4. ✗ Depth less than 1.2 m

Question Number : 51 Question Id : 8663 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The bearing capacity of soil supporting a footing of size $3\text{m} \times 3\text{m}$., will not be affected by the presence of water table located at a depth below the base of footing of-

Options :

1. ✘ 1 m
2. ✘ 1.5 m
3. ✔ 3.0 m
4. ✘ 6.0 m

Question Number : 52 Question Id : 8664 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

For the design of a strap footing, the following assumption is not made-

Options :

1. ✘ The strap is not subjected to any direct soil pressure
2. ✘ The interior footing is centrally loaded
3. ✔ The soil pressure varies linearly
4. ✘ The strap is perfectly rigid

Question Number : 53 Question Id : 8665 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

The load carrying capacity of a bored pile in sand is how many times that of a driven pile-

Options :

1. ✔ $1/2$ to $2/3$
2. ✘ $2/3$ to $3/4$
3. ✘ $3/4$ to 1.25
4. ✘ more than 1.25

Question Number : 54 Question Id : 8666 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

The most commonly used shape of a well foundation is -

Options :

1. ✘ Double – D well
2. ✔ Circular well
3. ✘ Double octagonal well
4. ✘ Rectangular well

Question Number : 55 Question Id : 8667 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The flow in a 30cm diameter pipe is 100m/sec. What will be the flow if the diameter of pipe reduced to 15 cm -

Options :

1. ✘ 50 m/sec.
2. ✘ 100 m/sec.
3. ✘ 200 m/sec.
4. ✔ 400 m/sec.

Question Number : 56 Question Id : 8668 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The Notch is fitted to a tank or a channel to measure -

Options :

1. ✘ Velocity
2. ✘ Pressure
3. ✔ Discharge
4. ✘ Static energy

Question Number : 57 Question Id : 8669 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

For maximum flow velocity in a circular channel the depth of flow should be-

Options :

1. ✘ Equal to the diameter of channel
2. ✘ 0.5 times the diameter of channel
3. ✔ 0.81 time the diameter of channel
4. ✘ 1.5 times the diameter of channel

Question Number : 58 Question Id : 8670 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

For any crop the flow of water in days and the ratio of fixed days to irrigate that crop is known as-

Options :

1. ✘ Capacity factor
2. ✘ Outlet factor

3. ✘ Full supply coefficient

4. ✔ Time factor

Question Number : 59 Question Id : 8671 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The core period for "Rabi" crop is -

Options :

1. ✘ 2 weeks

2. ✘ 3 weeks

3. ✔ 4 weeks

4. ✘ 5 weeks

Question Number : 60 Question Id : 8672 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The crop which does not need any irrigation is termed as:-

Options :

1. ✔ Dry crop

2. ✘ Wet crop

3. ✘ Kharif crop

4. ✘ Rabi crop

Question Number : 61 Question Id : 8673 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The economical section of canal during construction is termed when there is:-

Options :

1. ✘ Minimum excavation

2. ✘ Minimum filling

3. ✔ Excavation and filling both are of same quantity

4. ✘ Cutting is less than filling

Question Number : 62 Question Id : 8674 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

For the manufacture of Portland cement the proportion of raw materials used are-

Options :

1. ✘ Lime 22%, Silica 63%, others 15%
2. ✔ Lime 63%, Silica 22%, others 15%
3. ✘ Silica 40%, Lime 40%, others 20%
4. ✘ Silica 70%, Lime 20%, others 10%

Question Number : 63 Question Id : 8675 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Initial setting time of Ordinary Portland cement should not be less than-

Options :

1. ✘ 10 Min
2. ✘ 20 Min
3. ✘ 25 Min
4. ✔ 30 Min

Question Number : 64 Question Id : 8676 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Queen closer is placed -

Options :

1. ✘ In header course at any place
2. ✘ In stretcher course at any place
3. ✔ In header course next to first brick
4. ✘ In stretcher course next to first brick

Question Number : 65 Question Id : 8677 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Dado is usually provided in -

Options :

1. ✘ Dinning halls
2. ✔ Bathroom

3. ✘ Living room

4. ✘ Verandah

Question Number : 66 Question Id : 8678 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

Studs are known as-

Options :

1. ✘ Horizontal wooden member

2. ✔ Vertical wooden member

3. ✘ Lower horizontal wooden member

4. ✘ Intermediate wooden member

Question Number : 67 Question Id : 8679 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

The platform at the end of a series of steps is known as -

Options :

1. ✘ Relief

2. ✘ Stop

3. ✘ Tread

4. ✔ Landing

Question Number : 68 Question Id : 8680 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

A temporary structure having platform to enable masons to work at different stages of a building is known as -

Options :

1. ✘ Dead shore

2. ✘ Raking shore

3. ✔ Scaffolding

4. ✘ Under pinning

Question Number : 69 Question Id : 8681 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

Minimum compressive strength of building bricks is -

Options :

1. ✘ 25 kg/cm^2
2. ✘ 30 kg/cm^2
3. ✔ 35 kg/cm^2
4. ✘ 40 kg/cm^2

Question Number : 70 Question Id : 8682 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Maximum water absorption by weight of class I bricks after immersion in cold water for 24 hours is:

Options :

1. ✘ 10%
2. ✘ 15%
3. ✔ 20%
4. ✘ 25%

Question Number : 71 Question Id : 8683 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The major ingredient of Portland cement is -

Options :

1. ✘ Silica
2. ✔ Lime
3. ✘ Alumina
4. ✘ Iron oxide

Question Number : 72 Question Id : 8684 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The ratio of cement, sand and aggregates in M20 concrete is-

Options :

1. ✘ 1 : 2 : 4
2. ✘ 1 : 1 : 2
3. ✔ 1 : 1.5 : 3

4. ✘ 1 : 2 : 3

Question Number : 73 Question Id : 8685 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Sand stone is an example of -

Options :

1. ✘ Igneous rock

2. ✘ Metamorphic rock

3. ✔ Sedimentary

4. ✘ Volcanic

Question Number : 74 Question Id : 8686 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Class II timbers have average life (in months) of -

Options :

1. ✘ 12 – 29

2. ✘ 30 – 49

3. ✔ 60 – 119

4. ✘ 120 – 149

Question Number : 75 Question Id : 8687 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The covering of concrete placed at the top of an external wall is known as -

Options :

1. ✘ Cornice

2. ✔ Coping

3. ✘ Frieze

4. ✘ Lintel

Question Number : 76 Question Id : 8688 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The point of contraflexure in beams is where-

Options :

1. ✘ Shear force changes sign
2. ✔ Bending moment changes sign
3. ✘ Load changes sign
4. ✘ Displacement changes sign

Question Number : 77 Question Id : 8689 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Relationship of shear force (F) and load intensity (w) and bending moment (M) are-

Options :

1. ✔ $\frac{dF}{dx} = w, \frac{dM}{dx} = -F$
2. ✘ $\frac{dF}{dx} = -w, \frac{dM}{dx} = -F$
3. ✘ $\frac{dF}{dx} = -w, \frac{dM}{dx} = F$
4. ✘ $\frac{dF}{dx} = w, \frac{dM}{dx} = F$

Question Number : 78 Question Id : 8690 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

A solid conical bar of uniformly varying diameter has diameter 'D' at one end and zero at the other end. If length of the bar is 'L', modulus of elasticity 'E' and unit weight γ , extension of the bar due to self weight is-

Options :

1. ✘ $\frac{\gamma L^2}{2E}$
2. ✘ $\frac{\gamma L^2}{4E}$
3. ✔ $\frac{\gamma L^2}{6E}$

4. ✘ $\frac{\gamma L^2}{8E}$

Question Number : 79 Question Id : 8691 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

Hooke's law is valid up to -

Options :

1. ✔ Limit of proportionality
2. ✘ Elastic limit
3. ✘ Upper yield point
4. ✘ Lower yield point

Question Number : 80 Question Id : 8692 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

For Euler's buckling theory of column; the limiting value of slenderness ratio is-
(Where f_c is the crushing strength and E is the Young's modulus)

Options :

1. ✘ $\sqrt{\frac{\pi^2 E}{4fc}}$
2. ✘ $\sqrt{\frac{\pi^2 E}{3fc}}$
3. ✘ $\sqrt{\frac{\pi^2 E}{2fc}}$
4. ✔ $\sqrt{\frac{\pi^2 E}{fc}}$

Question Number : 81 Question Id : 8693 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

Torsion required to produce a unit angle of twist in a unit length is called -

Options :

1. ✘ Modulus of rigidity
2. ✘ Polar moment of inertia
3. ✔ Torsional rigidity
4. ✘ Torsion constant

Question Number : 82 Question Id : 8694 Question Type : MCQ Option Shuffling : No
 Correct : 2.0 Wrong : 0.0

Which method is used for finding the deflection of truss?

Options :

1. ✘ Euler Bernoulli method
2. ✔ Castigliano method
3. ✘ Rankine method
4. ✘ Hardy Cross method

Question Number : 83 Question Id : 8695 Question Type : MCQ Option Shuffling : No
 Correct : 2.0 Wrong : 0.0

The final moment at end A in a beam AB due to rotation θ_A, θ_B and downward settlement Δ of support B is given by -

Options :

1. ✘ $M_{FAB} + \frac{4EI}{l^2} (\theta_A + 2\theta_B - 3\Delta/l)$
2. ✘ $M_{FAB} + \frac{4E^2}{l^2} (2\theta_A + \theta_B - 3\Delta/l)$
3. ✔ $M_{FAB} + \frac{2EI}{l^2} (2\theta_A + \theta_B - 3\Delta/l)$
4. ✘ $M_{FAB} + \frac{4EI}{l^2} (\theta_A + 2\theta_B + 4\Delta/l)$

Question Number : 84 Question Id : 8696 Question Type : MCQ Option Shuffling : No
 Correct : 2.0 Wrong : 0.0

If the far end of the member is fixed, the stiffness of the beam with usual notation is -

Options :

1. ✘ $\frac{2EI}{l}$
2. ✘ $\frac{3EI}{l}$
3. ✔ $\frac{4EI}{l}$
4. ✘ $\frac{5EI}{l}$

Question Number : 85 Question Id : 8697 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Deflection at free end of a cantilever beam of span 'l', subjected to uniformly distributed load of 'w' intensity is-

Options :

1. ✘ $\frac{wl^4}{4EI}$
2. ✘ $\frac{wl^4}{6EI}$
3. ✔ $\frac{wl^4}{8EI}$
4. ✘ $\frac{wl^4}{10EI}$

Question Number : 86 Question Id : 8698 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

A three hinge circular arch of span 25m and rise 5m carries a point load of 100kN at 6m from left support. The reaction at crown is -

Options :

1. ✘ 45 kN
2. ✔ 60 kN
3. ✘ 75 kN
4. ✘ 90 kN

Question Number : 87 Question Id : 8699 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

In limit state of serviceability, deflection calculation is done based on-

Options :

1. ✓ Service load & characteristic strength
2. ✗ Ultimate load & characteristic strength
3. ✗ Service load & design strength
4. ✗ Ultimate load & design strength

Question Number : 88 Question Id : 8700 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Which is not a reason for the difference between actual and theoretical bar cut off points -

Options :

1. ✗ Unexpected shift in design moment
2. ✗ Development length requirements
3. ✓ Unexpected shift in concrete strength
4. ✗ Development of premature diagonal tension cracks

Question Number : 89 Question Id : 8701 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

For severe exposure, concrete grade should be -

Options :

1. ✗ M 20
2. ✗ M 25
3. ✓ M 30
4. ✗ M 35

Question Number : 90 Question Id : 8702 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Which is not a type of shear reinforcement?

Options :

1. ✗ Stirrups perpendicular to beam axis

2. ✘ Stirrups inclined to the beam axis
3. ✘ Longitudinal bent up bars
4. ✔ Additional longitudinal bars

Question Number : 91 Question Id : 8703 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

In RCC slab, maximum diameter of main bars should not exceed –

Options :

1. ✔ One eighth of total thickness
2. ✘ One tenth of total thickness
3. ✘ One twelfth of total thickness
4. ✘ One fifteenth of total thickness

Question Number : 92 Question Id : 8704 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

Flexibility matrix method is also known as –

Options :

1. ✘ Displacement method
2. ✘ Equilibrium method
3. ✔ Compatibility method
4. ✘ Slope deflection method

Question Number : 93 Question Id : 8705 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

If the nominal diameter of the rivet is 20mm, its gross diameter will be –

Options :

1. ✘ 21 mm
2. ✘ 21.5 mm
3. ✔ 22 mm
4. ✘ 22.5 mm

Question Number : 94 Question Id : 8706 Question Type : MCQ Option Shuffling : No
Correct : 2.0 Wrong : 0.0

The pitch of roof truss is kept between

Options :

1. ✘ $1/3$ to $1/5$
2. ✔ $1/4$ to $1/6$
3. ✘ $1/5$ to $1/7$
4. ✘ $1/6$ to $1/8$

Question Number : 95 Question Id : 8707 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Wind velocity at any station is reported at –

Options :

1. ✔ 10 m height from ground
2. ✘ 15 m height from ground
3. ✘ 20 m height from ground
4. ✘ 25 m height from ground

Question Number : 96 Question Id : 8708 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Diagonal elements of a skew symmetric matrix of odd order are-

Options :

1. ✘ Purely imaginary
2. ✔ Zero
3. ✘ Unity
4. ✘ Purely real

Question Number : 97 Question Id : 8709 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The eigen values of matrix $[A]$ are 1, -1, 2 then find the eigen values of A^{-1}

Options :

1. ✔ 1, -1, $1/2$
2. ✘ -1, -1, 2

3. ✘ $1, 1, 2$

4. ✘ $1, -1, -1/2$

Question Number : 98 Question Id : 8710 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

If $f(x) = x^2 - x - 2$, then find the maximum value of $f(x)$ in the interval $[-4, 4]$

Options :

1. ✘ 10

2. ✘ -2.25

3. ✔ 18

4. ✘ Indeterminate

Question Number : 99 Question Id : 8711 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

Which of the following statements are correct?

(i) $\vec{\nabla} \times \left(\frac{\vec{\nabla}}{\nabla \phi} \right) = 0$

(ii) $\vec{\nabla} \cdot \left(\frac{\vec{\nabla}}{\nabla} \times \vec{F} \right) = 0$

When $\nabla = \text{del operator}$, $\phi = \text{scalar function}$, $f = \text{vector function}$

Options :

1. ✔ Both are correct

2. ✘ (i) is true (ii) is false

3. ✘ (i) is false (ii) is true

4. ✘ Both are incorrect

Question Number : 100 Question Id : 8712 Question Type : MCQ Option Shuffling : No

Correct : 2.0 Wrong : 0.0

The Laplace transform of ramp function is -

Options :

1. ✘ $1/S$

2. ✔ $1/S^2$

3. ✖ $2/S^2$

4. ✖ $1/2S^2$