प्रश्नपुस्तिका क्रमांक

<u>"</u> परोक्ष्या विः

09 31) 42) 47 2027 E16

संच क्र.

A

203557

# Paper – II

Agricultural Science and Technology

वेळ: 1 (एक) तास

एकूण प्रश्न : 100 एकूण गुण : 200

# सूचना

(1) सदर प्रश्नपुस्तिकेत 100 अनिवार्य प्रश्न आहेत. उमेदवारांनी प्रश्नांची उत्तरे लिहिण्यास सुरुवात करण्यापूर्वी या प्रश्नपुस्तिकेत सर्व प्रश्न आहेत किंवा नाहीत याची खात्री करून घ्यावी. तसेच अन्य काही दोष आढळल्यास ही प्रश्नपुस्तिका समवेक्षकांकडून लगेच बदलून घ्यावी.

(2) आपला परीक्षा-क्रमांक ह्या चौकोनांत न विसरता बॉलपेनने लिहावा.



- (3) वर छापलेला प्रश्नपुस्तिका क्रमांक तुमच्या उत्तरपत्रिकेवर विशिष्ट जागी उत्तरपत्रिकेवरील सूचनेप्रमाणे न विसरता नमूद करावा.
- (4) या प्रश्नपुस्तिकेतील प्रत्येक प्रश्नाला 4 पर्यायी उत्तरे सुचिवली असून त्यांना 1, 2, 3 आणि 4 असे क्रमांक दिलेले आहेत. त्या चार उत्तरांपैकी सर्वात योग्य उत्तराचा क्रमांक उत्तरपत्रिकेवरील सूचनेप्रमाणे तुमच्या उत्तरपत्रिकेवर नमूद करावा. अशा प्रकारे उत्तरपत्रिकेवर उत्तरक्रमांक नमूद करताना तो संबंधित प्रश्नक्रमांकासमोर छायांकित करून दर्शविला जाईल याची काळजी घ्यावी. ह्याकरिता फक्त काळ्या शाईचे बॉलपेन वापरावे, पेन्सिल वा शाईचे पेन वापरू नये.
- (5) सर्व प्रश्नांना समान गुण आहेत. यास्तव सर्व प्रश्नांची उत्तरे द्यावीत. घाईमुळे चुका होणार नाहीत याची दक्षता घेऊनच शक्य तितक्या वेगाने प्रश्न सोडवावेत. क्रमाने प्रश्न सोडविणे श्रेयस्कर आहे पण एखादा प्रश्न कठीण वाटल्यास त्यावर वेळ न घालविता पुढील प्रश्नाकडे वळावे. अशा प्रकारे शेवटच्या प्रश्नापर्यंत पोहोचल्यानंतर वेळ शिल्लक राहिल्यास कठीण म्हणून वगळलेल्या प्रश्नांकडे परतणे सोईस्कर ठरेल.
- (6) उत्तरपत्रिंकेत एकदा नमूद केलेले उत्तर खोडता येणार नाही. नमूद केलेले उत्तर खोडून नव्याने उत्तर दिल्यास ते तपासले जाणार नाही. एकापेक्षा जास्त उत्तरे नमूद केल्यास ते उत्तर चुकीचे धरले जाईल व त्या चुकीच्या उत्तराचे गुण वजा केले जातील.
- (7) प्रस्तुत परिक्षेच्या उत्तरपत्रिकांचे मूल्यांकन करताना उमेदवाराच्या उत्तरपत्रिकेतील योग्य उत्तरांनाच गुण दिले जातील. तसेच ''उमेदवाराने वस्तुनिष्ठ बहुपर्यायी स्वरूपाच्या प्रश्नांची दिलेल्या चार उत्तरांपैकी सर्वात योग्य उत्तरेच उत्तरपत्रिकेत नमूद करावीत. अन्यथा त्यांच्या उत्तरपत्रिकेत सोडविलेल्या प्रत्येक चुकीच्या उत्तरांसाठी 25% किंवा 1/4 गुण वजा/कमी करण्यात येतील''.

# ताकीद

ह्या प्रश्नपत्रिकेसाठी आयोगाने विहित केलेली वेळ संपेपर्यंत ही प्रश्नपुस्तिका आयोगाची मालमत्ता असून ती परीक्षाकक्षात उमेदवाराला परीक्षेसाठी वापरण्यास देण्यात येत आहे. ही वेळ संपेपर्यंत सदर प्रश्नपुस्तिकेची प्रत/प्रती, किंवा सदर प्रश्नपुस्तिकेतील काही आशय कोणत्याही स्वरूपात प्रत्यक्ष वा अप्रत्यक्षपणे कोणत्याही व्यक्तीस पुरविणे, तसेच प्रसिद्ध करणे हा गुन्हा असून अशी कृती करणाऱ्या व्यक्तीवर शासनाने जारी केलेल्या "परीक्षांमध्ये होणाऱ्या गैरप्रकारांना प्रतिबंध करण्याबाबतचा अधिनियम-82" यातील तरतुदीनुसार तसेच प्रचलित कायद्याच्या तरतुदीनुसार कारवाई करण्यात येईल व दोषी व्यक्ती कमाल एक वर्षाच्या कारावासाच्या आणि/किंवा रुपये एक हजार रकमेच्या दंडाच्या शिक्षेस पात्र होईल.

तसेच ह्या प्रश्नपत्रिकेसाठी विहित केलेली वेळ संपण्याआधी ही प्रश्नपुस्तिका अनिधकृतपणे बाळगणे हा सुद्धा गुन्हा असून तसे करणारी व्यक्ती आयोगाच्या कर्मचारीवृंदापैकी, तसेच परीक्षेच्या पर्यवेक्षकीयवृंदापैकी असली तरीही अशा व्यक्तीविरूद्ध उक्त अधिनियमानुसार कारवाई करण्यात येईल व दोषी व्यक्ती शिक्षेस पात्र होईल.

पुढील अवना प्रश्नपुस्तिकेच्या अंतिम पृष्ठावर पहा

पर्यवेक्षकांच्या सूचनेविना हे सील उधडू

ष

कच्च्या कामासाठी जागा/SPACE FOR ROUGH WORK

# 1. Match the following:

	Grou	ıp 'A'			Group 'B'
a.	Recij	procating p	ump	I.	When flooding may be a hazard
b.	Rota	ry pump		· II.	Requires priming
c.	Cent	rifugal pur	np	III.	For pumping lubricating oils
d.	Subr	nersible pu	mp	IV.	Plunger/Piston displacement
Ans	wer op	tions :	•		
	a	<b>b</b> .	c	d	•
(1)	II	III	IV	Ι	
(2)	IV	I	II	III	
(3)	IV	III	II	Ι	
(4)	II	I	IV	III	

# 2. Match the followings:

	Grou	ıр 'A'			Group 'B'
a.	C.E.	Ramser	•	I.	Most remote point in watershed
b.	Thie	essen		II.	Sediment load in runoff
c.	Tim	e of concent	rate	III.	Rational formula
d.	Cosl	hocton whee	el sampler	IV.	Average depth of Rainfall
Ans	wer op	otions :		-	•
	а	b	c	d	
<b>(1</b> )	IV	. III	II	I	·
(2)	III	IV.	· I	II	
(3)	II	III	IV	I	
(4)	III	I	īV	II	

- 3. As compared to green fodder, there is some loss of nutritive value in silage by
  - a. the conversion of sugars into lactic acid
  - b. producing a sour taste
  - c. surface spoilage
  - d. fermentation and seepage

#### Answer options:

(1) a and b

(2) b and c

(3) a, b and c

(4) All of the above

_	4	٠.
_	7	
_		•

.

4.	The minimum wind speed ofwindmills for agricultural purpose.				_ is c	is considered to be useful for working o			
	(1)		(2)		(3)	15 km/hr	(4)	20 km/hr	
5.	The	USLE is a					<u> </u>		
	a.	Conceptual	Model						
	b.	Process-Bas	ed Mod	el					
	c.	Empirical M	lodel						
	d.	None of the	above			,			
. ,	Ans	wer options	:						
	<b>(1)</b>	a and b			(2)	a, b and d			
	(3)	d only			(4)	c only			
6.	Whi	ch are the dir	ect met	hods of moistu	re mea	surement of the	e graii	n sample ?	
	a.	Electrical re	sistance	e		·		•	
	b.	Dielectric me	${f ethod}$						
	c.	Air-oven dry	ing	•					
	d.	Distillation						•	
	Ans	wer options	:						
	<b>(1)</b>	a and b	<b>(2)</b>	b and $c$	(3)	a and c	<b>(4</b> )	c and d	
7.	Blaney-Criddle method is one of the best known procedures for estimating								
	a.	Transpiratio	n						
	b.	Potential-eva	apotran	spiration					
	c.	Evaporation							
	d.	Evapotransp	iration						
		wer options		•					
	(1)	b only,	(2)	a and c only	(3)	c and d only	(4)	d only	
8.	Identify the type of Engine based on the following description:								
•	a.	a. The injector and fuel pump are the heart of this engine.							
	b.	The compression ratio of this engine is 14:1 to 22:1.							
	c.	The fuel cons	umptio	n of this engin	e is 16	) to 200 g/bhp/l	ır.		
	d.	Thermal effic	ciency o	f this engine v	aries b	etween 32 to 38	perce	ent.	
	Ans	wer options	:						
	(1)	Steam engine	e (2)	Gas engine	(3)	Petrol engine	<b>(4</b> )	Diesel engine	

9.	Removal of male bud after completion of fo	emal	le phase in banana is called
	(1) Pinching	<b>(2)</b>	Denavelling
	(3) Mattocking	(4)	Desuckering
10.	Candy queen is the coloured varie	ety of	f anthurium.
	(1) Red (2) Pink	(3)	White (4) Orange
11.	The only bean which can withstand suffic	ientl	y cold temperature is
	(1) Dolichos bean	<b>(2)</b>	Cluster bean
	(3) Winged bean	(4)	Broad bean
12.	Which species of durian is the only comme	ercia	lly cultivated species in the world?
	(1) D. Graveolens	(2)	D. Kutejensis
	(3) D. Zibethinus	<b>(4)</b>	D. Lowianus
13.	Best carnation flowers can be produce polyhouse is maintained at intensity and temperature range of 14°C -	ppm	during day time under high light
	(1) 300 (2) 500	(3)	700 (4) 900
14.			xposing it to gamma radiation from
	radioactive source or electrons under cont		d conditions.
	(1) Radioactivity	(2)	Ionizing radiation
	(3) Irradiation	(4)	Isotherm
<b>15.</b>	The Central Tuber Crops Research Institu	ıte is	s situated at
	(1) Tiruchirappalli		•
	(2) Thiruvanthapuram		
	(3) Periyakulam		
	(4) Coimbatore	٠.	:
16.	The principal constituent present in thym	e oil	is
	(1) Furfural		
	(2) Carvacrol		
	(3) Sennosides		
	(4) Galactogogue		

17.		ndia, GE organisms or cells and n reof are regulated as per the Rules	azardous microorganisms and products under EPA-1986.						
	(1)	1987	(2)	1988					
	(3)	1989	<b>(4)</b>	1986					
18.	In_	gene detection technique	e, antibod	ies are used to detect specific proteins.					
	(1)	Gel electrophoresis	<b>(2)</b>	Southern blotting					
	(3)	Northern blotting	<b>(4</b> )	Western blotting					
19.				polysaccharide which helps in the filter surfaces and floc formation in					
	(1)	Zoogloea ramigera	(2)	Aerobacter aerogenes					
	(3)	Acetobacter aceti	(4)	Bacillus subtilis					
20.	Wh	Which of the following method does <b>not</b> make use of restriction enzymes?							
	<b>(1)</b>	RAPD							
	<b>(2)</b>	(2) RFLP							
	(3)	3) AFLP							
	<b>(4)</b>	None of the above							
21.	<b>W</b> h	Which one of the following is <i>not</i> true regarding PCR technique?							
	(1)	(1) It is fast and unexpensive							
	<b>(2)</b>	It requires large amount of DNA							
	(3)	(3) It permits in-vitro multiplication of DNA							
	<b>(4)</b>	It is extremely sensitive	,						
22.	Wh	Which of the following microorganism contains astaxanthin pigment?							
	(1)	Saccharomyces cerevisiae	<b>(2)</b>	Aspergillus oryzae					
	(3)	Phaffia rhodozyma	(4)	Candida albicans					
23.	The	e aerobic plate count of bacteria in	dry cerea	l mixes is					
	(1)	$10^2\mathrm{to}\;10^5\mathrm{per}\mathrm{gram}$	<b>(2)</b>	$10^2$ to $10^6$ per gram					
	(3)	$10^2$ to $10^4$ per gram	<b>(4)</b>	$10^2$ to $10^3$ per gram					

A		7	E16
24.	Deh	ydration in vacuum can bring down the moisture content of fruits to	
	(1)	1-3%	
	(2)	3 – 5%	
	(3)	5 – 7%	
	(4)	7 – 9%	
<b></b>		<u> </u>	
25.		ch of the following enzyme is used in citrus juice extraction?	
	(1)	α-Amylase	
	(2)	Catalase	
	(3)	Pectinase	
	(4)	Lactase	,
<b>26</b> .		is synthesized by bacteria in the human intestinal tract.	
	<b>(1)</b>	Vitamin D (2) Vitamin C	
	(3)	Vitamin A (4) Vitamin K	
27.	Whi fron	ich carbohydrate is only found in milk and thus can be present in milk?	foods made
	a.	Lactose	
	b.	Galactose	
	c.	Xylose	
	d.	Mannose	
		swer options:	
	(1)	a and b only	,
	(2)	b and c only	
	(3)	a and d only	
	(4)	a only	
28.	High	h hydrostatic pressure used in food processing primarily acts on	
	<b>(1)</b>	Ionic and hydrogen bonds	
	<b>(2)</b>	Ionic and covalent bonds	
	(3)	Hydrogen and covalent bonds	
	<b>(4</b> )	Covalent and hydrophobic interactions	
29.	The	most common pasteurization followed in dairy is carried out at	·
	<b>(1)</b>	72°C for 15 seconds	
	<b>(2)</b>	63°C for 3 seconds	
	(3)	72°C for 5 seconds	
	<b>(4</b> )	85°C for 1 second	
गच्च्य	कामास	nठी जागा / SPACE FOR ROUGH WORK	P.T.O.

			~
30.	Whi prof	ch of the following situations show that a farm business has a healthy itable performance?	and
	a.	The current ratio is greater than 1	
	b.	The current liability ratio is greater than 1	

- c. Debt equity ratio is less than 1
- d. Gross ratio is less than 1

#### Answer options:

**(1)** a and b only

a, b and c only

(3)a, c and d only

- **(4**) a and d only
- 31. With reference to Break-even Analysis during project evaluation
  - The lower the break-even-point, the greater the prospects of the project earning a. profit.
  - The difference between the projected use of the installed capacity and the b. break-even point is referred to as the "margin of safety".
  - The smaller the safety margin, the better. c.
  - d. The break-even point is the floor level or danger level below which production is expected to fall.

Which of the above statements is/are correct?

### Answer options:

**(1)** a only (2)a and b only

b and c only

- (4) c and d only
- The GoM has adopted "Cup and Cap Model" of crop insurance approach in Kharif 32. 2022 season in implementation of PMFBY scheme.

With respect to this, which of the following statements is/are incorrect.

- The State Government will pay claims in excess of a 110% loss ratio within a notified cluster.
- b. When the notified cluster loss ratio is equal to 80%; the insurance company retains 20% of the premium and pays all the claims.
- Implementation of Cup and Cap approach could reduce private insurance c. company profits in good years of crop harvest as compared to earlier PMFBY implementation approach.
- d. Farmers' premium rates are increased in "Cup and Cap Model" over last year's premium rates.

#### Answer options:

a and b only

(2)a, b, c and d

(3)b only **(4)** d only

33.	Pond constructed for milk fish culture is known as									
	a. 'Stew' pond									
	b.	'Garden' pond								
	c.	'Raceway' pond								
	d.	'Tambak' pond								
		swer options :								
	(1)	Only a	<b>(2)</b>	a and b only						
	(3)	c only	(4)	d only						
34.	"Tre	pang' is a product prepared from								
	a.	Seaweed	•	•						
	b.	Sea cucumber								
	c.	Lobster tail								
	d.	Frog legs								
	Ans	swer options:		•						
	<b>(1)</b>	a only	<b>(2)</b>	b only						
	(3)	c and d only	<b>(4</b> )	d only						
35.	For mercerising process clothes are									
	(1) Put in 10 to 15 percent caustic soda solution for 2 to 3 minutes.									
-	<b>(2)</b>	Put in 15 to 20 percent caustic sod	la solut	ion for 1/2 to 2 n	inutes.					
	(3)	Put in 18 to 22 percent caustic so	la solut	ion for 1 to 3 mi	nutes.		٠			
	(4)	4) Put in 20 to 25 percent caustic soda solution for 2 to 4 minutes.								
36.	Write the correct sequence of decision-making process:									
	a.	Define the problem		•						
	b.	Select an alternative								
	c.	Seek an alternative solution								
	d.	Accept responsibility for the decisi	ion		·					
	e.	Think through alternatives								
	Ans	swer options:								
	<b>(1)</b>	a, b, c, d, e								
	<b>(2</b> )	a, c, e, b, d								
	(3)	e, b, a, d, c								
	<b>(4</b> )	b, c, d, a, e								

<b>37.</b>	General principles of organic farming are to								
	a.	a. produce food with high yield.							
	b.	encourage and enhance biologica	al cycles	within the farming system.					
	c.	avoid pollution resulting from ag							
	d.	maintain and increase soil fertil		_					
	An	swer options :							
	(1)	c and d only	(2)	a and b only					
	(3)	b, c and d only	(4)	All of the above					
38.	Wee	ed not native of a country is known	as						
	(1)	Obligate weed	(2)	Objectionable weed					
	(3)	Satellite weed	(4)	Alien weed					
39.	Response of living organism to regular changes in temperature, either day or night or seasonal is termed as								
	(1)	Photoperiodism	(2)	Diurnal temperature					
	(3)	Thermoperiodism	(4)	Crop growth					
40.	Rainfed Farming Systems should include								
	a.	Reducing soil erosion							
	b.	Improving soil conservation							
	c. Inclusion of legumes and cover crops in crop rotations								
	d. Avoiding use of organic wastes  Answer options:								
		_	(0)						
	(1)	a and b only	(2)	b and c only					
	(3)	a, b and c only	(4)	All of the above					
41.	Weeds like Echinochloa colonum, E.Crus-galli are always associated withcrop.								
	(1)	Rice	<b>(2)</b>	Sorghum					
	(3)	Chickpea	(4)	Maize					
	Indi:	an Institute of Farming Systems R	lesearch	is located at					
	(4)	Man Dall:	(9)	36 11					
	<b>(1)</b>	New Delhi	(2)	Modipuram-Meerut					

43.		nts with crassulacean acid m nomic plants with this type of pho		are highly drought-resistant. The					
	a.	Sorghum	Joby Micsi						
	b.	Agave		·.					
	c.	Safflower							
	d.	Pineapple							
	Answer options:								
	(1)	a and b	(2)	b and c					
	(3)	c and d	(4)	b and d					
44.	Uni	illed pods (pops) in groundnut ar	e due to th	ne deficiency of					
	<b>(1)</b>	Potassium	<b>(2)</b>	Calcium					
	. (3)	Sulphur	(4)	Magnesium					
45.	The fraction of the total rainfall available for the consumptive use of crop is called								
	(1)	Evapotranspiration	(2)	Frequency of rainfall					
	(3)	Effective rainfall	(4)	Intensity of rainfall					
46.	Most critical growth stages for irrigation in maize are								
	(1)	Tasseling and Silking	-	•					
	(2)	Silking and Dough							
	(3)	Early vegetative growth and D	ough						
	(4)	, , , , , , , , , , , , , , , , , , ,							
47.	The proportion of incident solar energy that is reflected or the reflection coefficient								
	for incoming solar radiation is called								
	<b>(1)</b>	Sunrays	(2)	Albedo					
	(3)	Refractive index	(4)	None of the above					
48.	In I	In Marathwada and Vidarbha regions of Maharashtra, irrigated cotton sowing is							
		ocated in the month of							
	(1)	May 5 to 25	<b>(2)</b>	March 15 to 20					
	(3)	April 15 to 25	(4)	June 25 to 30					
	· · · · · ·								

<b>49.</b>	Farming system is mainly classified into								
	(1)	(1) Collective farming and Cultivated farming.							
	(2)	Conventional farming and Orga	mic farmi	ng.					
	(3)	Intensive farming and Precision	farming						
	(4)	Conventional farming and Preci	ision farn	ning.					
50.	The	The main function of chloroplasts is							
	(1)	Respiration	<b>(2)</b>	Chlorosis					
	(3)	Photosynthesis	(4)	Photophosphorylation					
51.		ich variety is usually created by rearance but have different genes	_	eds of several lines that are similar in ance to a given disease?					
	(1)	Biotech	<b>(2)</b>	Multiline					
	(3)	Hybrid	(4)	All of the above					
<b>52.</b>	Enzymes are								
	(1)	(1) Made of pure protein							
	<b>(2)</b>	Having high molecular weight							
,	(3)	(3) Not stable beyond 40°C							
	(4)	All of the above							
53.	The synchrony in flowering of seed and pollinator parent is termed as								
	<b>(1</b> )	Staggering	(2)	Nicking					
	(3)	Pollination	(4)	Synchronization					
54.	Phenotypic variation within the clone is purely								
	(1)	Genetic	<b>(2)</b>	Environmental					
	(3)	Phenotypic	(4)	Mutation					
55.		e invention that colchicine could b ociated with scientist	e used to	double the number of chromosomes is					
	(1)	Wilson (2) Morgan	(3)	Blakeslee (4) Painter					

56.	If two cells A and B are in contact with each other, the cell A has a pressure potential of 4 bars and contains sap with an osmotic potential of – 12 bars. Cell B has pressure potential of 2 bars and contains sap with osmotic potential of – 5 bars, then water will move from										
	.(1)	Cell B to	cell A								
	(2)	(2) Cell A to cell B									
	(3)	Cell A to	outer	atme	osphere						
:	(4)	None of	the ab	ove							
57.		nonocotyle hairs is k			ets the single, o	uterm	ost layer	with a nun	nber of u	nicellular	
	(1)	Pith			•	<b>(2)</b>	Cortex				
	(3)	Pericycle	e			(4)	Epiblem	a			
58.	The phenomenon of mature cells reverting to a meristematic state and forming undifferentiated callus tissue is termed as										
	(1)	Cytodiff	erentia	ation							
	(2)	Dediffer	entiati	ion							
	(3)	Rediffer	entiati	on							
	(4)	Totipote	ency								
59.	Availability of P to plant is controlled by the mutual interplay of factors such as										
	(1)	quantity	only								
	(2)	quantity	and in	ntens	ity only		,				
	(3)	intensity	y and p	hosp	hate buffering	capaci	ty only				
٠	<b>(4)</b>				and phosphate			ty			
60.	The	blue, gree	en alga	e is a	also known as						
	(1)	Anabaer	na azol	lae		(2)	Penicilli	ım digitatı	um		
	(3)	Cyanoba	cteria			(4)		the above		,	
61.	Wha	at is the zi	inc con	tent :	in the zinc sulp	hate h			r?		
	(1)	19.4%		<b>(2)</b>	12%	(3)	21%	(4)	33%		
कच्च	कामार	गठी जागा /	SPACE		ROUGH WORK			(4)		P.T.O.	
										1.1.0.	

62.	The relative difficulty with which common cations can be replaced or removed from the exchange complex leading to increased flocculation of the clay particles is in the order of								
	<b>(1)</b>	$Al^{3+} > Ca^{2+} > Mg^{2+} > K^+ > Na^+$	(2)	$Na^+ > K^+ > Mg^{2+} > Ca^{2+} > Al^{3+}$					
	(3)	$Mg^{2+} > Ca^{2+} > Al^{3+} > Na^{+} > K^{+}$	(4)	$K^+ > Na^+ > Al^{3+} > Ca^{2+} > Mg^{2+}$					
63.		ording to land capability classifications.	ion	land is suitable for wildlife and					
	<b>(1)</b>	Class VI	<b>(2)</b>	Class VII					
	(3)	Class VIII	(4)	Class VI and Class VII					
64.	Bull	k density of soil =							
	(1)	wt. of soil mass	(2)	soil volume					
	\_ <i>&gt;</i>	soil volume		wt. of soil mass					
	(3)	soil diameter soil mass	(4)	None of the above					
65.	Whi	ich of the following Fertilizer is mor	e suital	ole in Acidic Soils ?					
	<b>(1)</b>	Ammonium Sulfate	<b>(2)</b>	Ammonium Chloride					
	(3)	Calcium ammonium nitrate	(4)	Hydrous ammonia					
66.	In la	and capability classification Class-I	I is sho	wn as colour					
	<b>(1)</b>	green on maps	<b>(2)</b>	brown on maps					
	(3)	yellow on maps	(4)	red on maps					
67.	Wh	ich of the following is the daily dry r	natter:	requirement as per weight in goats?					
	(1)	10 to 15%	<b>(2)</b>	8 to 10%					
•	(3)	20 to 25%	(4)	3 to 5%					
68.	Con	Comprehensive Crop Insurance Scheme (CCIS) was introduced by General Insurance Company (GIC) in all States in the year							
	(1)	1985	<b>(2)</b>	1995					
		1980	(4)	1990					

<b>69.</b>	Non-protein nitrogenous sources being used successfully for ruminants are								
	a.	Ammonium acetate		·					
	b.	Ammonium bicarbonate							
	c.	Ammonium carbonate							
	d.	Ammonium lactate							
	Answer options:								
	(1)	a and d only	<b>(2)</b>	a and b only					
	(3)	a and c only	<b>(4)</b>	All of the above					
70.	During semen collection of bulls the inner temperature of Artificial Vagina should be between								
	(1)	42°C to 46°C	(2)	47°C to 52°C					
	(3)	38°C to 40°C	(4)	25°C to 37°C					
71.	Zinc is an integral part of the enzyme which is present in high concentration in blood cells.								
	(1)	Trypsin	(2)	Choline					
	(3)	Carbonic anhydrase	(4)	Riboflavin					
72.	hormone is used for superovulation in cows for embryo transfer.								
•	(1)	Luteinising hormone	(2)	Oestrogen					
	(3)	Progesterone	(4)	Follicle-stimulating hormone					
73.	Nec	essities, comforts and luxuries are the	e cate	egories of					
	(1)	Wealth	(2)	Price					
	(3)	Wants	(4)	Needs					
74.	Which law says that the more a commodity that an individual possesses, the less is the utility that is derived from it?								
	(1)	Law of equimarginal utility							
	<b>(2)</b>	Law of competition		•					
	(3)	Law of diminishing marginal utility							
	(4)	Law of minimum							
कच्च्य	 ा कामार	नाठी जागा / SPACE FOR ROUGH WORK		P.T.O.					

<b>75.</b>	When was GATT signed by 23 countries for the first time?								
	(1)	1946	(2)	1945	<b>(3)</b>	1948	<b>(4</b> )	1949	
76.		e capital based a nation is call				rom the dome	estic sav	ings of the public	
	<b>(1)</b>	Internal			<b>(2)</b>	Auxiliary			
	(3)	Floating			(4)	Remunerati	ive ·	•	
77.		As per the Census 2011, percent of the population is engaged in agriculture and allied activities in India.							
	(1)	74.7	(2)	60.5	(3)	54.6	(4)	65.1	
78.	_	When the cost of inputs and input services are expressed at constant prices they become the cost.							
	<b>(1)</b>	Opportunity			(2)	Economic			
	<b>(3</b> )	Deflated			(4)	Real			
	(1)	erent social, ed GPS	conomic (2)	and envir GIS	(3)	ariables is RS	(4)	SPSS	
80.		A committee of Rural Sociologists suggested a five-stage model in farm practices adoption – sequentially it follows as below:							
	(1) Interest $\rightarrow$ Awareness $\rightarrow$ Evaluation $\rightarrow$ Trial $\rightarrow$ Adoption								
	(2)								
	(3)								
	(4)								
81.	Which is the first step in extension programme planning?								
	(1)	Reconsidera			. (2)	Identify prol	$_{ m blems}$		
	(3)	Analyse situ	ation		(4)	Collection of	facts		
 82.	The	birth of 'Rura	l Sociolo	ogy' stemr	 ned	,			
	(1)								
	(2)	as a result o	f the rur	al probler	ns in the fie	ld			
	(3)	due to policy							
	<b>(4)</b>	due to better	commu	nication i	n rural area	as			

83.	Which of the following principles in extension administration is also known as								
		lar Process'?							
	(1)	Principle of Hierarchy							
	(2)	Principle of Authority	1			•			
	(3) (4)	Principle of Span of Contr Principle of Organisations		•	•				
	(4)								
84.	Under which method of training do a small group of knowledgeable persons discuss a given problem and are asked to produce as many solutions as possible within a given period?								
	<b>(1)</b>	Buzz session	(2)	Brainstorming					
	(3)	Syndicate method	(4)	Case study					
85.		The degree to which an innovation is perceived as better than the idea it supersedes is called							
	<b>(1)</b>	Compatibility	(2)	Relative advanta	ge				
	(3)	Complexity	(4)	Observability					
86.	is an insect growth regulator proved effective against a number of sucking pests.								
	(1)	Cyantraniliprole	(2)	Fipronil					
	(3)	Pyriproxyfen	(4)	Propargite					
87.	Entomopathogenic nematodes in family Heterorhabditidae have mutualistic association with								
	<b>(1)</b>	Nosema	(2)	Photorhabdus					
	. (3)	Bacillus	(4)	Baculovirus					
88.	Sca	rabaeiform larvae are found	l in order		_				
	<b>(1)</b>	Odonata	(2)	Coleoptera	•				
	(3)	Diptera	(4)	Lepidoptera					
89.	Mor	Moniliform type of antennae are found in							
	<b>(1)</b>	Termites	(2)	Grasshoppers					
	(3)	Moths	(4)	Weevils					
90.	Emi	malocera depressella is the	scientific name	of sugarcane					
	<b>(1)</b>	Top shoot borer	(2)	Root borer					
	(3)	Scale	(4)	Internode borer					
कच्च्य	ा कामार	नाठी जागा / SPACE FOR ROUG	H WORK			PTO			

		1
_	4	^
_	7	•

91.	In occasional pests, GEP touches EIL for insect pests in approximately how many years?									
	(1)		han 2 years	•						
	(2)		en 2 to 5 ye							
	(3)		than 16 yea		•					
	(4)	Betwe	en 10 to 15	years						
92.	The	spear i	s an import	ant chara	teristic used for identif	ication of				
	<b>(1)</b>	Mollu	sca							
	<b>(2)</b>		$\mathbf{podes}$	•						
	(3)	Insect								
	(4)	Nema	todes		<u>`</u>	• \				
93.	Mat	ch the f	following:							
	Group 'A'			Group 'B'						
	a.	a. Woronin		I.	Nematode					
	b.	Nee	dham	II.	Protozoan Myxomycetes Bacteria					
	c.	Beij	erinck	III.						
	. d.	Bur	rill	IV.	Virus					
	Answer options:									
		a	, p	c	d	•				
	(1)	Ι	II	III	IV .					
	(2)	IV	III	II	I					
	<b>(3</b> )	II	I	IV	III					
	(4)	III	IV	I	II					
94.	Scie	Science that deals with the study of algae is								
	(1)	Psych	ology							
	<b>(2)</b>	Phyco	logy							
	(3)	Phyto	logy							
	(4)	All of	the above							
95.	Which of the following is the ability of Parasite to interfere with one or more of the essential functions of the plant thereby causing disease?									
	(1)	·								
	<b>(2)</b>	Нурег	parasitism							
	(3)	Patho	genicity							
	(4)	Asym	biotic							
कच्च्य	 ा कामार	— साठी जाग	T / SPACE F	OR ROUGH	WORK					

<ul><li>(1)</li><li>(2)</li></ul>	y blight of potato and tomato is caused by  Ascomycetes SPP  Alternaria SPP	• :•				
(2)	·					
	Alternaria SPP					
(3)	The man is SI					
٠,,	Lirula SPP					
(4)	Rhizosphora SPP					
The	"Kresek" symptoms confusing with stem borer in rice are due to the pathoge	en				
(1) Pyricularia oryzae						
<b>(2)</b>	Helminthosporium oryzae					
(3)	Xanthomonas oryzae pv. oryzicola					
(4)	Xanthomonas oryzae pv. oryzae					
Fron	n the following fungicides which falls in the group of green agrochemicals?					
<b>(1)</b>	Benomyl					
<b>(2)</b>	Carbendazim					
(3)	Fuberidazole					
(4)	Thiophanate methyl					
The	$X_0$ in formula $X = X_0e^{rt}$ given by Van der Plank in 1963 for plant dis	sease				
man	agement is					
<b>(1)</b>	Infection rate					
<b>(2)</b>	Final severity					
(3)	Initial inoculum					
(4)	Duration of disease development					
Bota	nnical name of plant parasitic mistletoes is					
	(3) (4)  The (1) (2) (3) (4)  From (1) (2) (3) (4)  The man (1) (2) (3) (4)	<ul> <li>(3) Lirula SPP</li> <li>(4) Rhizosphora SPP</li> <li>The "Kresek" symptoms confusing with stem borer in rice are due to the pathoge</li> <li>(1) Pyricularia oryzae</li> <li>(2) Helminthosporium oryzae</li> <li>(3) Xanthomonas oryzae pv. oryzicola</li> <li>(4) Xanthomonas oryzae pv. oryzae</li> <li>From the following fungicides which falls in the group of green agrochemicals?</li> <li>(1) Benomyl</li> <li>(2) Carbendazim</li> <li>(3) Fuberidazole</li> <li>(4) Thiophanate methyl</li> <li>The X<sub>0</sub> in formula X = X<sub>0</sub>e<sup>rt</sup> given by Van der Plank in 1963 for plant dismanagement is</li> <li>(1) Infection rate</li> <li>(2) Final severity</li> <li>(3) Initial inoculum</li> </ul>				

- $(1) \quad Dendroph thoe\ falcate$
- (2) Striga asiatica
- $(3) \quad \textit{Orobanche aegyptiaca}$
- (4) Cuscuta gronovii

# सूचना - (पृष्ठ 1 वरून पुढे....)

- (8) प्रश्नपुस्तिकेमध्ये विहित केलेल्या विशिष्ट जागीच कच्चे काम (रफ वर्क) करावे. प्रश्नपुस्तिकेव्यतिरिक्त उत्तरपत्रिकेवर वा इतर कागदावर कच्चे काम केल्यास ते कॉपी करण्याच्या उद्देशाने केले आहे, असे मानले जाईल व त्यानुसार उमेदवारावर शासनाने जारी केलेल्या "परीक्षांमध्ये होणाऱ्या गैरप्रकारांना प्रतिबंध करण्याबाबतचे अधिनियम-82" यातील तरतुदीनुसार कारवाई करण्यात येईल व दोषी व्यक्ती कमाल एक वर्षाच्या कारावासाच्या आणि/किंवा रुपये एक हजार रकमेच्या दंडाच्या शिक्षेस पात्र होईल.
- (9) सदर प्रश्नपत्रिकेसाठी आयोगाने विहित केलेली वेळ संपल्यानंतर उमेदवाराला ही प्रश्नपुस्तिका स्वत:बरोबर परीक्षाकक्षाबाहेर घेऊन जाण्यास परवानगी आहे. मात्र परीक्षाकक्षाबाहेर जाण्यापूर्वी उमेदवाराने आपल्या उत्तरपत्रिकेचा भाग-1 समवेक्षकाकडे न विसरता परत करणे आवश्यक आहे.

नमुना	प्रश्न
-------	--------

	5						
Pick out the	correct word to fill in the blank:						
Q. No. 201.	I congratulate you your grand success.						
	(1) for (2) at						
	(3) on (4) about ह्या प्रश्नाचे योग्य उत्तर "(3) on" असे आहे. त्यामुळे या प्रश्नाचे उत्तर "(3)" होईल. यास्तव खालीलप्रमाणे प्रश्न क्र. 201 समोरील उत्तर-क्रमांक "③" हे वर्तुळ पूर्णपणे छायांकित करून दाखविणे आवश्यक आहे.						
प्र. क्र. 201.	1 2 • 4						
	अशा पद्धतीने प्रस्तुत प्रश्नपुस्तिकेतील प्रत्येक प्रश्नाचा तुमचा उत्तरक्रमांक हा तुम्हाला स्वतंत्ररीत्या पुरविलेल्या उत्तरपत्रिकेवरील त्या त्या प्रश्नक्रमांकासमोरील संबंधित वर्तुळ पूर्णपणे छायांकित करून दाखवावा. ह्याकरिता फक्त काळ्या शाईचे बॉलपेन वापरावे, पेन्सिल वा शाईचे पेन वापरू नये.						

कच्च्या कामासाठी जागा/SPACE FOR ROUGH WORK