
2021

漢

संच क्र



प्रश्नपुस्तिका - II स्थापत्य अभियांत्रिकी पेपर – 2 H16



एकूण प्रश्न : 100

एकूण गुण : 200

वेळ : 2 (दोन) तास

सूचना

- सदर प्रश्नपुस्तिकेत 100 अनिवार्य प्रश्न आहेत. उमेदवारांनी प्रश्नांची उत्तरे लिहिण्यास सुरुवात करण्यापूर्वी या प्रश्नपुस्तिकेत सर्व प्रश्न आहेत किंवा नाहीत याची खात्री करून घ्यावी. तसेच अन्य काही दोष आढळल्यास ही प्रश्नपुस्तिका समवेक्षकांकडून लगेच बदलून घ्यावी.
- आपला परीक्षा-क्रमांक ह्या चौकोनांत (2)न विसरता बॉलपेनने लिहावा.

परीक्षा-क्रमांक शेवटचा अंक केंद्राची संकेताक्षरे

- वर छापलेला प्रश्नपुस्तिका क्रमांक तुमच्या उत्तरपत्रिकेवर विशिष्ट जागी उत्तरपत्रिकेवरील सूचनेप्रमाणे न विसरता नमूद करावा.
- या प्रश्नपुस्तिकेतील प्रत्येक प्रश्नाला 4 पर्यायी उत्तरे सुचिवली असून त्यांना 1, 2, 3 आणि 4 असे क्रमांक दिलेले आहेत. त्या चार उत्तरांपैकी सर्वात योग्य उत्तराचा क्रमांक उत्तरपत्रिकेवरील सूचनेप्रमाणे तुमच्या उत्तरपत्रिकेवर नमूद करावा. अशा प्रकारे उत्तरपत्रिकेवर उत्तर-क्रमांक नमूद करताना तो संबंधित प्रश्न-क्रमांकासमोर छायांकित करून दर्शविला जाईल याची काळजी घ्यावी. ह्याकरिता फक्त काळ्या शाईचे बॉलपेन वापरावे, पेन्सिल वा शाईचे पेन वापरू नये.
- सर्व प्रश्नांना समान गुण आहेत. यास्तव सर्व प्रश्नांची उत्तरे द्यावीत. घाईमुळे चुका होणार नाहीत याची दक्षता घेऊनच शक्य तितक्या वेगाने प्रश्न सोडवावेत. क्रमाने प्रश्न सोडविणे श्रेयस्कर आहे पण **एखादा प्रश्न कठीण वाटल्यास त्यावर वेळ न घालविता पढील प्रश्नांकडे वळावे**. अशा प्रकारे शेवटच्या प्रश्नापर्यंत पोहोचल्यानंतर वेळ शिल्लक राहिल्यास कठीण म्हणून वगळलेल्या प्रश्नांकडे परतणे सोईस्कर ठरेल.
- ं उत्तरपत्रिकेत एकदा नमूद केलेले उत्तर खोडता येणार नाही. नमूद केलेले उत्तर खोडून नव्याने उत्तर दिल्यास ते तपासले जाणार नाही. एकापेक्षा जास्त उत्तरे नमूद केल्यास ते उत्तर चुकीचे धरले जाईल व त्या चुकीच्या उत्तराचे गुण वजा केले जातील.
- प्रस्तुत परीक्षेच्या उत्तरपत्रिकांचे मूल्यांकन करताना उमेदवाराच्या उत्तरपत्रिकेतील योग्य उत्तरांनाच गुण दिले जातील. तसेच ''उमेदवाराने वस्तुनिष्ठ बहपर्यायी स्वरूपाच्या प्रश्नांची दिलेल्या चार उत्तरांपैकी सर्वात योग्य उत्तरेच उत्तरपत्रिकेत नमूद करावीत. अन्यथा त्यांच्या उत्तरपत्रिकेत सोडविलेल्या प्रत्येक चुकीच्या उत्तरांसाठी 25% किंवा 1/4 गुण वजा/कमी करण्यात येतील".

ताकीट

ह्या प्रश्नपत्रिकेसाठी आयोगाने विहित केलेली वेळ संपेपर्यंत ही प्रश्नपुस्तिका आयोगाची मालमत्ता असून ती परीक्षाकक्षात उमेदवाराला परीक्षेसाठी वापरण्यास देण्यात येत आहे. ही वेळ संपेपर्यंत सदर प्रश्नपुस्तिकेची प्रत/प्रती, किंवा सदर प्रश्नपुस्तिकेतील काही आशय कोणत्याही स्वरूपात प्रत्यक्ष वा अप्रत्यक्षपणे कोणत्याही व्यक्तीस पुरविणे, तसेच प्रसिद्ध करणे हा गुन्हा असून अशी कृती करणाऱ्या व्यक्तीवर शासनाने जारी केलेल्या ''परीक्षांमध्ये होणाऱ्या गैरप्रकारांना प्रतिबंध करण्याबाबतचा अधिनियम-82'' यातील तरतुदीनुसार तसेच प्रचलित कायद्याच्या तरतुदीनुसार कारवाई करण्यात येईल व दोषी व्यक्ती कमाल एक वर्षाच्या कारावासाच्या आणि/किंवा रुपये एक हजार रकमेच्या दंडाच्या शिक्षेस पात्र होईल.

तसेच ह्या प्रश्नपत्रिकेसाठी विहित केलेली वेळ संपण्याआधी ही प्रश्नपुस्तिका अनधिकृतपणे बाळगणे हा सुद्धा गुन्हा असून तसे करणारी व्यक्ती आयोगाच्या कर्मचारीवृंदांपैकी, तसेच परीक्षेच्या पर्यवेक्षकीयवृंदांपैकी असली तरीही अशा व्यक्तीविरुद्ध उक्त अधिनियमानुसार कारवाई करण्यात येईल व दोषी व्यक्ती शिक्षेस पात्र होईल.

पुढील सूचना प्रश्नपुस्तिकेच्या अतिम पृष्ठावर

10 पर्यवेक्षकांच्या सूचनेविना



कच्चा कामासाठी जागा / SPACE FOR ROUGH WORK



- The vertical stress developed at a depth of 2 m, below the centre of point load is 4775 N/m². Then the point load causing the stress is
 - (1) 40 N
 - (2) 40 KN
 - (3) 400 KN
 - (4) 4000 KN
- 2. Friction piles in fine grained soils of low permeability transfer load to soil through side resistance without compacting soil, these piles are known as
 - (1) End bearing piles
 - (2) Compaction piles
 - (3) Floating piles
 - (4) None of the above
- 3. A cylindrical clay soil sample having $80~KN/m^2$ cohesion is subjected to a cell pressure of $100~KN/m^2$. The maximum deviator stress on the sample at failure will be
 - (1) 100 KN/m^2
 - (2) 160 KN/m^2
 - (3) 180 KN/m²
 - $(4)\quad 200\ KN/m^2$
- 4. For an active earth pressure, Ka is given by expression
 - (1) $Ka = \frac{1 + \sin \phi}{1 \sin \phi}$

(2) $Ka = \frac{1 - \sin \phi}{1 + \sin \phi}$

(3) $Ka = \frac{1 + \sin \phi}{2}$

 $(4) \quad Ka = \frac{1 - \cos \phi}{2}$

5. Match List – I with List – II and select the correct answer using the codes given below the list.

List - I

List - II

(Allowable maxi. settlement I.S. 1904) (Type of foundation and soil type)

- a. 65 to 100 mm
- b. 40 mm
- c. 65 mm
- d. 40 to 65 mm

- 1. Isolated foundation on sand
- 2. Isolated foundation on clay
- 3. Rafts on sand
- 4. Raft on clay

Answer Options:

- a b c d
- (1) 1 4 3 2
- (2) 4 1 2 3
- (3) 1 4 2 3
- (4) 4 1 3 2
- 6. Due to provision of 'sand drains' in the construction on compressible soil, most of the settlement occurs
 - (1) During construction
 - (2) After construction
 - (3) After one rainy season
 - (4) After one summer season
- 7. The cyclic pile load test was conducted on pile foundation to determine
 - (1) Point bearing resistance of pile only
 - (2) Skin friction of pile only
 - (3) Point bearing resistance and skin friction
 - (4) Negative skin friction



8.	The	compactive energy used in modific	ed Pr	octor test is times more than
	star	ndard Proctor test.		
	(1)	2.0	(2)	2.5
	(3)	3.5	(4)	4.5
9.	A v	ertical excavation was made in a cl	ay de	posit having unit weight of 16 KN/m ³ .
	It c	aved in after the depth of digging re	eache	d 3m.Then, C =
	(1)	6 KN/m^2	(2)	$12 \; \mathrm{KN/m^2}$
	(3)	24 KN/m ²	(4)	$48~\mathrm{KN/m^2}$
10.	The	warning signs on National and Sta	te Hi	ghways are to be located in advance of
	obje	ect at a distance of		
	(1)	40 meter	(2)	60 meter
	(3)	80 meter	(4)	120 meter
11.	Ext	ra widening in highways on Horizo	ntal c	curves is provided for
	(1)	Providing space for off tracking of	whee	els
	(2)	Better vision		
	(3)	Providing road dividers		
	(4)	Efficient drainage		
12.	Wh	ile conducting a flakiness and elon	gation	n test on a sample of coarse aggregate
				hat, there are 200 gram flakey particles
			Vhat a	are the flakiness and elongation indices
	(tot	al) as per IS		
	(1)	4 percent	(2)	18 percent
	(3)	36 percent	(4)	40 percent
कच्चा	कामा	साठी जागा / SPACE FOR ROUGH WORK		РТО



		ch the						
	a.	NHD	P			1.	Villa	ge Road Development
	b.	CRR	Ī.			2.	High	way Research Board
	c.	PMG	SY			3.	Golde	en Quadrilateral
	d.	IRC				4.	Natio	onal Laboratory
	Ans	wer (Option	ıs:				
		a	b	c	d			
	(1)	4	2	1	3			
	(2)	2	3	1	4			
	(3)	2	4	1	3			
	(4)	3	4	1	2			
			1.	1 .1.				madient the stanning gight distance is
- 4	-As c	ompar				on an asc		gradient the stopping sight distance is
14.		B. /	41 1	laa1 a-	arfo oo		(9)	LACC THAN LAVAL CHTTACA
14.	(1)		than l				(2)	
14.				level sur			(2)	Depends on type of terrain
	(1) (3) The	Same	e as lev	vel sur	face	IRC for	(4)	Depends on type of terrain
	(1) (3) The has	Same terra	as lev	vel sur	face	IRC for	(4)	Depends on type of terrain
	(1) (3) The	terra:	ins are	vel sur e class: pe of 60%	face	IRC for	(4)	Depends on type of terrain n purposes. The mountainous terrain
15.	(1) (3) The has (1) (3)	terra: the cr More 10%	ins are oss slotthan to 25% oe of tr	vel surve class ope of 60%	face ified by		(4) c desig (2) (4)	Depends on type of terrain n purposes. The mountainous terrain 25% to 60% Less than 10%
15.	(1) (3) The has (1) (3) White Roa	terra: the cr More 10% ich typ	ins are oss slo than to 25% oe of tr gress ?	vel surve class ope of 60%	face ified by		(4) c desig (2) (4) zontal	Depends on type of terrain n purposes. The mountainous terrain 25% to 60% Less than 10% alignment is recommended by Indian
15.	(1) (3) The has (1) (3)	terra: the cr More 10% ich typ d Con	ins are oss slo than to 25% oe of tr gress ?	vel surve class ope of 60%	face ified by		(4) c desig (2) (4) zontal (2)	Depends on type of terrain n purposes. The mountainous terrain 25% to 60% Less than 10% alignment is recommended by Indian Leminiscate
15.	(1) (3) The has (1) (3) White Roa	terra: the cr More 10% ich typ d Con	ins are oss slo than to 25% oe of tr gress ?	vel surve class ope of 60%	face ified by		(4) c desig (2) (4) zontal	Depends on type of terrain n purposes. The mountainous terrain 25% to 60% Less than 10% alignment is recommended by Indian
15. 16.	(1) (3) The has (1) (3) White Roa (1) (3)	terra: the cr More 10% ich typ d Con Circu Spira	ins are oss slo than to 25% oe of tr gress?	e class: pe of 60%	face ified by on curv	e in hor	(4) c desig (2) (4) zontal (2) (4)	Depends on type of terrain n purposes. The mountainous terrain 25% to 60% Less than 10% alignment is recommended by Indian Leminiscate Cubic parabola
15.	(1) (3) The has (1) (3) White Roa (1) (3)	terra: the cr More 10% ich typ d Con Circu Spira	ins are oss slot than to 25% pe of trigress?	e class: pe of 60% cansitio	face ified by on curv	e in hor	(4) c desig (2) (4) zontal (2) (4) n base	Depends on type of terrain n purposes. The mountainous terrain 25% to 60% Less than 10% alignment is recommended by Indian Leminiscate Cubic parabola course and surface course should not
14. 15. 16.	(1) (3) The has (1) (3) White Roa (1) (3)	terra: the cr More 10% ich typ d Con Circu Spira ood qu e crus	ins are oss slot than to 25% pe of trigress?	e class: pe of 60% cansition	face ified by on curv	e in hor	(4) c desig (2) (4) zontal (2) (4) n base	Depends on type of terrain n purposes. The mountainous terrain 25% to 60% Less than 10% alignment is recommended by Indian Leminiscate Cubic parabola course and surface course should not



18.	'STC	OP' sign in road	l sign	alling has follo	wing	shape		
	(1)	Circular	(2)	Octagonal	(3)	Triangular	(4)	Square
19.	An i	isochrone is a l	ine on	the basin ma	p			
	(1)	Joining rain g	auge	stations with o	equal	rainfall durati	on	
	(2)	Joining points	s havi	ng equal stand	lard t	ime		
	(3)	Connecting po		naving equal t	ime of	travel of the s	urface	runoff to the
	(4)	That connects	poin	ts of equal rair	ıfall d	epth in a giver	ı time	interval
20.	Inte	erception loss is	3					
	(1)	more towards	the e	nd of a storm				
	(2)	less at the beg	ginnin	ng of a storm a	nd gra	idually increas	es	
	(3)	uniform throu	ıghou	t the storm				
	(4)	high in the be	ginni	ng of storm an	d grad	dually decrease	es	
21.	φ-in							5 and 3 cm. If the direct runoff from
	(1)	20 cm	(2)	11 cm	(3)	10 cm	(4)	22 cm
22.	The	peak flow of o	ut flo	w hydrograph	will b	e smaller thar	the in	nflow hydrograph
	due	to the storage	effect.	The reduction	ı in pe	eak value of hy	drogra	aph is known as
	(1)	Prism storage						
	(2)	Routing						
	(3)	Attenuation						
	(4)	Basin lag						
			7					



23. The Darcy's law is valid in a porous media flow when the Reynolds number is less than unity. This Reynolds number is defined as

(1) discharge velocity × maximum grain size

μ

(2) $\frac{\text{actual velocity} \times \text{average grain size}}{\text{constant}}$

γ

(3) discharge velocity × average grain size

γ

(4) $\frac{\text{discharge velocity} \times \text{pore size}}{\text{discharge velocity}}$

γ

- 24. An IUH is a direct runoff hydrograph of
 - (1) One cm magnitude due to rainfall excess of 1-h duration
 - (2) That occurs instantaneously due to a rainfall excess of 1-h duration
 - (3) Unit rainfall excess precipitating instantaneously over the catchment
 - (4) Occurring at any instant in long duration
- 25. The mass curve of rainfall of a storm is a plot of
 - (1) rainfall depths for various equal durations plotted in decreasing order
 - (2) rainfall intensity Vs time in chronological order
 - (3) accumulated rainfall intensity Vs time
 - (4) accumulated precipitation Vs time in chronological order
- **26.** The monthly rainfall at a place A during August 2020 was recorded as 50 mm above normal. Here the term <u>normal</u> means
 - (1) the rainfall in the same month in the previous year
 - (2) the rainfall was normally expected based on previous month's data
 - (3) the average rainfall computed from past 12 month's record
 - (4) the average monthly rainfall for August computed from a specific 30 years of past record



- 27. Dickens formula for peak flow discharge is
 - (1) $Q_P = C_D A^{2/3}$

(2) $Q_P = C_D A^{3/4}$

(3) $Q_P = C_D \sqrt{124 + A}$

- (4) $Q_P = C_D A^{\frac{1}{3}}$
- 28. Accumulation of dust in the tunnel due to drilling and blasting is a serious hazard, as extended breathing of dust results in
 - (1) Skin cancer

(2) Osteomyelitis

(3) Silicosis

- (4) Dyspepsia
- 29. The drainage arrangements for keeping off and removing of water may be classified as
 - (1) Predrainage or preventing the entry of excess water from entering the tunnel before starting of construction work
 - (2) Dewatering of tunnel i.e. removing the water that has entered the tunnel during the construction of tunnel
 - (3) Permanent drainage i.e. keeping water off the tunnel after its completion
 - (4) All of the above
- 30. In order to get desired degree of fragmentation, higher concentration of explosives shall be placed near _____ of the hole.
 - (1) bottom

(2) top

(3) side

- (4) centre
- **31.** Apart from the purpose of tunnel, which other aspects would be considered for determing the size of the tunnel?
 - (1) The clear opening required to handle the volume of traffic, nature of traffic
 - (2) Thickness of lining
 - (3) The provisions required for the drainage facilities
 - (4) All of the above



32.	Wh	ich one of the following factors is n	ot impo	rtant in deciding the type and capacity						
	of v	entilation system in tunnel?								
	(1) Length of tunnel									
	(2)	Shape of tunnel								
	(3)	Size of tunnel								
	(4)	Quantity of explosive and freque	ency of l	plasting used						
33.		ile tunnelling in rock, which of the		ring method involve the driving of top						
	(1)	Needle beam method								
	(2)	Heading and Bench method								
	(3)	Fore poling method								
	(4)	Army or case method								
34.		ich of the following operations umulations in tunnel atmosphere		d in tunnel excavation causes dust						
	(1)	Drilling	(2)	Blasting						
	(3)	Handling Muck	(4)	All of the above						
35.		nsider the following statements a	bout Ar	my method or case method of driving						
	a.	It is simple method								
	b.	b. It is not economical method								
	c.	c. It can be used for construction of short tunnel of small size (cross-section)								
	Wh	ich of the above statement/s is/ar	e correc	t ?						
	Ans	swer Options :								
	(1)	(a) and (c) only	(2)	(b) only						
	(3)	(a) and (b) only	(4)	(a), (b) and (c)						



36.				suitable for sewers and water carrying
	pur	poses however this shape is $oldsymbol{not}$ suit	table	for roads or railways ?
	(1)	'D' Section	(2)	Circular section
	(3)	Rectangular section	(4)	Egg shaped section
37.	If tl	ne head of water over the spillway	is mo	ore than the designed head,
	may	y occur.		
	(1)	Rupture	(2)	Corrosion
	(3)	Cavitation	(4)	Sliding
38.	the	field is 1000 Ha/cumec and loss of		c at the head of a canal. If the duty at r in transit is 25%, what would be the
	area	a of land that can be irrigated?		
	(1)	10,000 Ha	(2)	12,500 Ha
	(3)	15,000 Ha	(4)	17,500 Ha
39.		ratio of the quantity of water stored vater actually delivered in to the fiel		ne root zone of the crops to the quantity
	(1)	efficiency of water distribution		
	(2)	efficiency of water storage		
	(3)	efficiency of water use		
	(4)	efficiency of water application		
40.	Inc	ase of gravity dam, when the reservo	ir is f	ull, the maximum compressive stresses
	are	at		
	(1)	toe		
	(2)	middle third of base		
	(3)	center of base		
	(4)	heel		
				· · · · · · · · · · · · · · · · · · ·



41.	Ma	tch th	e pair f	or suita	ability	7 of 1	method of ir	rigation	n.
	a.	Che	ck flood	ing		1.	Narrow dit	ch betv	ween rows of plants
	b.	Furi	ow met	hod		2.	Circuitous	route o	of water
	c.	Cont	tour far	ming		3.	Low and fl	at levee	es used
	d.	Zig-z	zag met	\mathbf{hod}		4.	Hilly area		
	Ans	swer	Option	ıs:					
		a	b	c	d				
	(1)	3	2	4	1				
	(2)	3	1	4	2				
	(3)	3	1	2	4				
	(4)	1	3	2	4				
42.							ee spillway p		length at its top is proportional
	(1)	${ m H}^{2.5}$		(2)	H ^{1.}	5	(3)	Н	(4) $H^{0.5}$
43.	The	follow	ving deta	ails per	tain to	the	crossing of	a canal :	and a drain.
									8 m, Bed level of drain = $309.40 m$,
	Dep	th of f	low at h	igh floo	d leve	sl = 2	2.20 m. The s	suitable	type of cross drainage work is
	(1)	Aqu	educt				(2)	Super	passage
	(3)	Can	al sypho	o n			(4)	Sypho	on aqueduct
44.	Lys	imete	r exper	iment i	is the	pri	ncipal metho	od for d	irect measurement of
	(1)	Mois	sture co	ntent i	n soil				
	(2)	Flov	v in can	al					
	(3)	Can	al siltat	ion					

(4) Evapotranspiration



45 .	Which of the following canal structures is used to remove surplus water from cana
	into a natural drain?

(1) Canal regulator

(2) Canal fall

(3) Canal outlet

(4) Canal escape

46. Which of the following is *not* a type of bridge based on location of bridge floor?

- (1) Deck bridge
- (2) Through bridge
- (3) Skew bridge
- (4) Semi-through bridge

47. Which of the following will cause afflux on the upstream side of a bridge?

- (1) Rise of water level on upstream side
- (2) Effective linear waterway of a bridge is less than the natural width of the stream immediately on the upstream side of bridge
- (3) Both (1) and (2) of above
- (4) None of the above

48. Following are the statements regarding economic span of bridge:

- a. When suitable foundation for piers is not available at locations as per consideration of economic span, it is not advisable to adopt economic span.
- b. Section of pier increases considerably if the span is increased beyond a certain value.

Which of the above statement/s is/are correct?

Answer Options:

- (1) Statement (a) only
- (2) Statement (b) only
- (3) Both (a) and (b)
- (4) Neither (a) nor (b)

H16

- 49. Which one of the following characteristics is not suitable for ideal site for bridge?
 - (1) Steady flow of river
 - (2) Presence of sharp curve in the approaches
 - (3) Inerodible strata close to river bed
 - (4) Straight reach of stream
- 50. In case of 'road culvert', the linear waterway is limited to the length of
 - (1) 18 meter
- (2) 12 meter
- (3) 45 meter
- (4) 20 meter
- 51. A bridge constructed over a stream which remains dry for most part of the year is called as
 - (1) Abutment

(2) Pier

(3) Culvert

- (4) None of the above
- 52. Which of the following methods are used for erection of steel girders?
 - (1) Floating

(2) Lifting

(3) Rolling

- (4) All of the above
- 53. When 'd' is normal scour depth, the maximum scour depth, at a right angled bend of stream, is taken as
 - (1) 1.25 d
- (2) 1.75 d
- (3) 2.00 d
- (4) 2.75 d
- 54. For determination of maximum scour depth, which of the following Lacey's regime equation is used in India?
 - $(1) \quad s = .473 \left\{ \frac{Q}{f} \right\}^{\frac{1}{3}}$

 $(2) \quad s = .473 \left\{ \frac{f}{Q} \right\}^{\frac{1}{3}}$

(3) $s = .473 \left\{ \frac{f}{Q} \right\}^{\frac{2}{3}}$

 $(4) \quad s = .473 \left\{ \frac{f}{Q} \right\}^{\frac{4}{3}}$

where.

- s = Normal depth of scour in meter below HFL
- $Q = Discharge in m^3/sec$
- f = Lacey's silt factor



•				15				H10
55 .	Wł	nich is called as 'Loc	al Attraction' i	from tl	ne following?			
	(1)							
	(2)	Effect of magnetic	e field on comp	ass				
	(3)	Running fast tows	ards station					
	(4)	None of the above						
56.	The	e lines joining point	s of equal dip a	re cal	led			
	(1)	Aclinic lines		(2)	Isoclinic lines			
	(3)	Contour lines		(4)	Isogonic lines			
57.	Lin ang	e AB and BC interse gle of line BC is give	ct at 'B' and ∠B n by	3 is me	asured by theodo	olite, 1	then the defl	ection
	(1)	270° – ∠B (2)	180° + ∠B	(3)	180° – ∠B	(4)	90° + ∠B	
58.	Wh	ich of the following	methods are us	sed for	locating the pla	ne ta	ble station (
	(a)	Radiation method			J 1		olo station ,	,
	(b)	Traversing method	i					
	(c)	Intersection method	od					
	(d)	Resection method						
	Ans	wer Options :						
	(1)	Only (b) and (d)		(2)	Only (a) and (c)		
	(3)	Only (a) and (b)		(4)	Only (c) and (d	,		
59.	Sett	ing out a simple cur	ve by two theo	dolite	method, require			
		Angular measurem			, 04uii	~,		
	(2)	Lincor mass.						

- - (2) Linear measurements only
 - (3) Both (1) and (2)
 - (4) None of the above



	6 0000 00'
60.	On an old map, a line was drawn to a magnetic bearing of 320° 30' when the
	declination was 3°30' W. Find the present magnetic bearing of the line, if the
	declination is 4°15′E.

(1)	$317^{\circ}0$
111	OTIV

312°45′ (2)

312°0′ (4)

<u>C1</u>	What is the exact value of additive	constant	(f +	d)	?
61.	What is the exact value of duditive	002207	`	,	

100 **(1)**

180 (2)

0 (3)

(4) 270

Which is the most accurate method of locating the sounding?

Range and time interval

Range and one angle from the shore (2)

Cross-Rope (3)

Two angles from the shore (4)

If a back sight observation is 0.665 m taken on known benchmark having 100.00 m value, then height of instrument or reduced level of line of collimation is

100.600 m

100.650 m (2)

100.665 m (3)

100.065 m (4)

While measuring the length by tape, the sag correction, for the ends freely suspended 64.

Where, w = wt. of tape, l = length of tape, P = pull

(2) $(-)\frac{w^2l}{24P^2}$ (3) $\frac{wl^2}{24P^2}$

(4) $(-)\frac{wl^2}{24P^2}$

Find the loss of head when a pipe of diameter 200 mm is suddenly enlarged to a diameter of 400 mm. The rate of flow of water through the pipe is 250 litre/s.

1.8 m **(1)**

8.1 m (2)

(3)5.8 m (4) 8.8 m



- 66. The water is flowing with a velocity of 1.5 m/s in a pipe of length 2500 m and of diameter 500 mm. At the end of the pipe, a valve is provided. Find the rise in pressure if the value is closed in 25 seconds. Take the value of C = 1460 m/s.
 - **(1)** $51 \, \text{N/cm}^2$
 - (2)25 N/cm²
 - 5 N/cm^2 (3)
 - 15 N/cm^2 **(4)**
- The centre of pressure for a vertically immersed surface lies at a distance equal to the centre of gravity.
 - (1) $\frac{I_G}{A\overline{X}}$ below

(2) $\frac{1_G}{A\overline{X}}$ above

(3) $\frac{A\overline{X}}{I_G}$ below

- (4) $\frac{A\overline{X}}{I_C}$ above
- 68. The kinematic viscosity is the
 - Ratio of dynamic viscosity to the mass density
 - Ratio of mass density of the liquid to the dynamic viscosity
 - Product of dynamic viscosity and mass density of the liquid
 - Product of dynamic viscosity and mass of the liquid
- A stone weighs 392.4N in air and 196.2N in water. Compute the volume of stone.
 - $8 \times 10^4 \, \mathrm{cm}^3$ (1)
- (2) $2 \times 10^4 \text{ cm}^3$
- (3) $4 \times 10^4 \text{ cm}^3$
- (4) $5 \times 10^4 \text{ cm}^3$
- Water is flowing through a pipe of diameter 30 cm at a velocity of 4 m/s. Find the **70**. velocity of oil flowing in another pipe of diameter $10\,\mathrm{cm}$, if the condition of dynamic similarity is satisfied between the two pipes. The viscosity of water and oil is given as 0.01 poise and 0.025 poise. The specific gravity of oil = 0.8.
 - (1) 75.3 m/s
- (2) $37.5 \, \text{m/s}$
- (3)73.5 m/s
- (4) 57.3 m/s

- 71. The buoyancy depends upon the
 - (1) Weight of the liquid displaced
 - (2) Pressure with which the liquid is displaced
 - (3) Viscosity of the liquid
 - (4) Compressibility of the liquid
- 72. A pen stock is 3000 m long. The pressure wave travels in it with a velocity of 1500 m/s. If the gates of the downstream side turbine are closed uniformly and completely in 5 seconds, then the closure is called
 - (1) Rapid
 - (2) Slow
 - (3) Sudden
 - (4) Ultra rapid
- 73. The boundary layer separates from the boundary due to progressive deceleration of flow. The boundary layer separation occurs when
 - $(1) \quad \frac{\mathrm{d}p}{\mathrm{d}x} = 0$

(2) $\left(\frac{\partial \mathbf{u}}{\partial \mathbf{y}}\right)_{\mathbf{y}=\mathbf{0}} = \mathbf{0}$

 $(3) \quad \frac{\mathrm{dp}}{\mathrm{dx}} < 0$

- $(4) \quad \left(\frac{\partial \mathbf{u}}{\partial \mathbf{y}}\right)_{\mathbf{y}=\mathbf{0}} > 0$
- 74. Chlorine existing in water as hypochlorous acid and hypochlorite ions is defined as
 - (1) Free available chlorine
 - (2) Combined available chlorine
 - (3) Chlorine demand
 - (4) Chloramines
- 75. Bacteria that obtain both energy and material from organic sources are called
 - (1) Autotrophs

(2) Heterotrophs

(3) Phototrophs

(4) Protists



76.	F	$\stackrel{\textstyle extstyle }{M}$ ratio used for the design of extende	d a	neration process is
	(1)	$0.3 ext{ to } 0.4 ext{ day}^{-1}$	(2)	$0.3 ext{ to } 0.6 ext{ day}^{-1}$
	(3)	0.6 to $0.8~\mathrm{day^{-1}}$	(4)	$0.1 \text{ to } 0.18 \text{ day}^{-1}$
77.	То	ensure proper aeration of water, it is	ne	cessary to
	(1)	Increase the area of water in contact	t w	vith air
	(2)	Keep the surface of the liquid const	ant	tly agitated
	(3)	Increase the time of contact of wate	r w	vith air
	(4)	All of the above		
78.	As	per BIS 10500 : 2012, acceptable limi	t fo	or chloride in drinking water is
	(1)	100// (0) 070 **	(3)	
79.	Seq	uence of media from top to bottom in	tri-	-media filter is
	(1)	Anthracite, Garnet, Sand		
	(2)	Sand, Anthracite, Garnet		
	(3)	Anthracite, Sand, Garnet		
	(4)	Garnet, Sand, Anthracite		
80.	In c	onventional activated sludge process,		LSS is generally kept in which range?
	(1)	< 100 m ~/li4	2)	1000 – 2000 mg/lit
	(3)	2000 – 3000 mg/lit	4)	3000 – 5000 mg/lit
31.	In th	ne Bio-medical Waste (Management an	d F	Handling) Rules, process recommended
;	for h	uman anatomical waste, animal was	e,	cyto-toxic drugs is
	(1)	Autoplare	2)	Hydroclave treatment
	(3)	Incineration (4	1)	Microwave treatment
च्या व	गमास	ाठी जागा / SPACE FOR ROUGH WORK		P.T.O.

82. Which of the following is not the land filling method?

(1) Area method

(2) Trench method

(3) Bangalore method

(4) Ramp method

83. The firm power which is always available for carrying the load or corresponding to stream flow

(1) Maximum

(2) Minimum

(3) Average

(4) All the above

84. Pumped-storage plants

- (1) Use thermal energy to pump water and generate hydropower to meet peak demand
- (2) Allow thermal power to take up peak load while the hydropower can take up the base load
- (3) Convert low value 'off peak' energy into high value 'on peak' capacity and energy
- (4) Convert low value thermal power into high value hydropower

85. A pelton turbine is running under net head of 10.0 m. The discharge passing through turbine is 1.0 m³/s and the efficiency of turbine is 50%. What would be the power developed by turbine? (Take $r_w = 9.81 \text{ KN/m}^3$).

(1) 4.905 KW

(2) 49.05 KW

(3) 490.5 KW

(4) 4905 KW

86. In a reciprocating pump without air vessels, the acceleration head in the suction pipe is maximum at the crank angle $\theta =$

(1) $\theta = 0^{\circ}$

(2) $\theta = 90^{\circ}$

(3) $\theta = 135^{\circ}$

(4) $\theta = 180^{\circ}$



87		e hydraulic effi to/of the	ciency veloc	of impulse ity of the jet	turbine : of water	s maximun at inlet.	n when th	ne velocity of whe
	(1)			•	(2)	one third		
	(3)	half			(4)	equal		
88	w r	e discharge thr nere Cross sections					mp is	
	L =	Length of stro	ke	or Proton O	c cymnae.	L		
	N =	r.p.m. of the c	rank					
	(1)	$Q = \frac{ALN}{60}$	(2)	$Q = \frac{2ALN}{60}$	(3)	Q = ALN	(4)	Q = 2ALN
89.	1110	ingle acting rec area of piston i charge of pump	S U.1U	ting pump, m ² and strol	running se length	at 60 rpm, dis 50 cm. W	delivers (0.01 m ³ /s of water I be the theoretica
		0.10 m ³ /s	(2)	$0.06~\mathrm{m}^3/\mathrm{s}$	(3)	$0.05 \text{ m}^3/\text{s}$	(4)	$0.005 \text{ m}^3/\text{s}$
90.	The	runaway spee	d of a	turbine is			 ,	
	(1)	The maximum			chine una	ler no load	hut with	
	(2)	The maximum	ı spee	d of the mad	chine und	ler no load	out win	governing
	(3)	The maximum	spee	d of the mad	hine und	er full load	and no ge	overning
	(4)	The speed ach	ieved	by the mack	nine whe	n the gover	nor is dis	connected
91.	If the centrifugal pump is having speed of the shaft 2800 rpm, discharge is 0.0016 m ³ /sec. and head is 8.28 m then the specific speed of the pump is in rpm							
				s 8.28 m th	en the sp	ecific speed	of the p	ump is in rpm
	(1)	21	(2)	24		23		26
92.	Whic	h of the followin	es doc	liments will	not be	. 10		
	(1)	Schedule 'A' of	propo	sed work	not be re	quired for di	afting the	e tender notice ?
		Name of work						
		Estimated cost						
		Validity of the						
च्च्या		ठी जागा / SPACE						
		, DI AUE	ruk K	OUGH WOR	K			P.T.O.



							•		
3 3.	Whic	Which of the following is/are applicable for 'hand mixing' of cement concrete?							
	(a) The quantity of concrete to be less than 1 cum.								
	(b) '	The quantity 0	f conc	rete to be les	s than (6 cum.			
	(a)	Comont and sa	and sh	all be thorou	ghly m	xed before a	adding c	oarse aggregate	es.
	(d)	Coarse aggreg	ates a	nd sand shal	l be tho	roughly mix	ked befor	e adding ceme	at.
		wer Options :							
		(b) and (d)	(2)	Only (b)	(3)	(a) and (c)	(4)	Only (d)	
	` '	•				. 9 1 1	:1 do	a moor courtys	-d
94.	The	covered area of	f a pro	posed buildi	ng is 24 for the	0 m², which building is]	nciude: Rs. 40.00	s a rear courtya 00 per sq.m, wh	ıat
	of 8	$\mathbf{m} \times 5 \mathbf{m}$. If the	e plin' f build	tn area rate	ior the	building is .		•	
		ld be the cost o	(2)	96 lakh	(3)	80 lakh	(4)	72 lakh	
	(1)	112 lakh	` '		, .				
—– 95.	For	a residential b	uildir	ng, the quant	ities of	uncoursed	rubble n	nasonry and br	ıck
90.	worl	k are 20 cum. a	and 40) cum. respec	tivery.	30 101 tile ***	0111		
	(1)	20 cum. of rul	bble a	nd 4 thousan	d brick	s are require	ed		
	(2)	25 cum. of rul	bble a	nd 10 thousa	nd bric	ks are requi	\mathbf{red}		
		25 cum. of rul	hhla a	ad 90 thousa	and brig	ke are requi	red		
		95 oum of fill	nnie a	nu zo mouse	ma pric	Re are reda-	110.00		
	(3)	25 cum. of ru	bble a	nd 20 thouse nd 20 thouse	ınd bric ınd bric	ks are requi	ired		
	(4)	20 cum. of ru	bble a	nd 20 thousa	ınd bric	ks are requi	ired 	ind to comp	
96.	(4)	20 cum. of ru	bble a	and 20 thouse	ind bric	ks are requi	ired ———— anship r	required to comp	lete
96	(4)	20 cum. of ru	bble a	and 20 thouse	nd bric naterial with its	ks are requi s and workn drawings a	red nanship r nd detai	required to comp ls is known as	lete
96	(4)	20 cum. of ru	bble a	and 20 thouse	naterial with its	ks are requisions and workm drawings a	red nanship r nd detai	required to comp ls is known as	 lete
96.	(4) A de	20 cum. of ruetailed description	bble a	and 20 thouse	nd bric naterial with its	ks are requi s and workn drawings a	red nanship r nd detai	required to comp ls is known as	lete
	(4) A de an e (1)	20 cum. of ruetailed descriptions processing processing	bble a ion of t	nd 20 thousa the quality of a n accordance	naterial with its (2)	ks are requise and workn drawings a Specificat	nanship r nd detai	required to comp ls is known as	lete
96	(4) A de an e (1) (3)	20 cum. of ruetailed description of the follo	bble a	the quality of an accordance	material with its (2) (4)	s and workn drawings a Specificat Item rate	nanship r nd detai	required to comp ls is known as	leto
	(4) A de an e (1)	20 cum. of ruetailed description of the follo	bble a	the quality of an accordance	material with its (2) (4) while for	s and workm drawings a Specificat Item rate building lea	nanship r nd detai	required to comp ls is known as	let
	(4) A de an e (1) (3)	20 cum. of ruetailed description gineering processing Estimate Costing tich of the follo The lessor grant	bble a ion of t oject in wing a	the lease of o	material with its (2) (4) able for nly land	s and workm drawings a Specificat Item rate building lea	nanship r nd detai	required to comp ls is known as	leto
	(4) A de an e (1) (3) Wh (a)	20 cum. of ruetailed description gineering pro Estimate Costing ich of the follo The lessor gr The lessor gr	bble a ion of t ject in wing : rants rants	the quality of an accordance is/are applicate the lease of one pay ground r	material with its (2) (4) able for nly land only builtent.	ks are requi- s and workm drawings a Specificat Item rate building lead. dding.	nanship r nd detai	required to comp ls is known as	leto
	(4) A de an e (1) (3) Wh (a) (b)	20 cum. of ruetailed description gineering pro Estimate Costing ich of the follo The lessor gr The lessor gr	bble a ion of t ject in wing : rants rants	the lease of o	material with its (2) (4) able for nly land only builtent.	ks are requi- s and workm drawings a Specificat Item rate building lead. dding.	nanship r nd detai	required to comp ls is known as	leto
	(4) A de an e (1) (3) (a) (b) (c) (d)	20 cum. of ruetailed description gineering pro Estimate Costing ich of the follo The lessor gr The lessor gr	wing arants as to pass	the quality of an accordance is/are applicate the lease of one pay ground r	material with its (2) (4) Table for ally land and builtent.	ks are requisions and workm drawings a Specificat Item rate building lead. Idding.	nanship r nd detai ion use'?	required to comp ls is known as	leto



A	7)	23							
98	. W	Which of the following method/s is/are deployed to find out book value?							
	(a)								
	(b)	b) Rental method of valuation.							
	(c)	e) Valuation from life.							
	(d)	(d) Development method of valuation.							
	An	Answer Options:							
	(1)	(a) and (c)	(2)	Only (c)				
	(3)	(b) and (d)	(4))	Only (b)				
	as (1) (2) (3) (4)	e amount paid by the contractor to a guarantee of execution of the work Security deposit Liquidated damage Bank guarantee Earnest rate	rk as j	o per	contract is termed as	ier			
100.	(a) (b) (c) (d) Whi	ender is to be submitted in "Three tain the followings: DD for EMD, if applicable. Bank guarantee, if applicable. An income tax clearance certifica Details of works in hand. ch of the above is/are correct? wer Options:		elop	pes Method". "Envelope No. 1" sha	all			
	(1)	Only (a)	/=>						
	(3)	(b) and (d)	(2) (4)	(2)					
	(3)	(v) and (u)		(a	a), (b), (c) and (d)				

H16

सूचना 🖃 (पृष्ठ 1 वरून पुढे....)

- (8) प्रश्नपुस्तिकेमध्ये विहित केलेल्या विशिष्ट जागीच कच्चे काम (रफ वर्क) करावे. प्रश्नपुस्तिकेव्यतिरिक्त उत्तरपत्रिकेवर वा इतर कागदावर कच्चे काम केल्यास ते कॉपी करण्याच्या उद्देशाने केले आहे, असे मानले जाईल व त्यानुसार उमेदवारावर शासनाने जारी केलेल्या ''परीक्षांमध्ये होणाऱ्या गैरप्रकारांना प्रतिबंध करण्याबाबतचे अधिनियम-82'' यातील तरतुदीनुसार कारवाई करण्यात येईल व दोषी व्यक्ती कमाल एक वर्षाच्या कारावासाच्या आणि/किंवा रुपये एक हजार रकमेच्या दंडाच्या शिक्षेस पात्र होईल.
- (9) सदर प्रश्नपत्रिकेसाठी आयोगाने विहित केलेली वेळ संपल्यानंतर उमेदवाराला ही प्रश्नपुस्तिका स्वत:बरोबर परीक्षाकक्षाबाहेर घेऊन जाण्यास परवानगी आहे. मात्र परीक्षा कक्षाबाहेर जाण्यापूर्वी उमेदवाराने आपल्या उत्तरपत्रिकेचा भाग-1 समवेक्षकाकडे न विसरता परत करणे आवश्यक आहे.

नमुना प्रश्न

Pick out the correct word to fill in the blank:

Q. No. 201.	I congratulate you	your grand success.
	(1) for	(2) at
	(3) on	(4) about
	———) क्रेप्र च्या ''(2) on'' असे :	आहे. त्यामुळे या प्रश्नाचे उत्तर ''(3)'' होईल. यास्तव तर-क्रमांक ''(3)'' हे वर्तुळ पूर्णपणे छायांकित करून
	दाखावण आवश्यक आह.	

я. **ж**. **201.** ① ② • ④

अशा पद्धतीने प्रस्तुत प्रश्नपुस्तिकेतील प्रत्येक प्रश्नाचा तुमचा उत्तर-क्रमांक हा तुम्हाला स्वतंत्ररीत्या पुरिवलेल्या उत्तरपत्रिकेवरील त्या त्या प्रश्न-क्रमांकासमोरील संबंधित वर्तुळ पूर्णपणे छायांकित करून दाखवावा. ह्याकरिता फक्त काळ्या शाईचे बॉलपेन वापरावे, पेन्सिल वा शाईचे पेन वापरू नये.

कच्च्या कामासाठी जागा / SPACE FOR ROUGH WORK