# Maharashtra Public Service Commission

| Question Paper Name :  | AssistantCommissionerDrugsGroupA 17 Mar 23 S1              |
|--|--|
| Subject Name :   | Assistant Commissioner Drugs Group A                       |
| Actual Answer Key:   | Yes  |
| Is this Group for Examiner? :  | No   |
| Examiner permission:   | Cant View  |
| Show Progress Bar?:  | No   |
|  |  |
|  |  |
| <b>Enable Mark as Answered Mark for Review and Clear Response:</b>   | Yes  |
| Maximum Instruction Time :   | 0  |
| Is Section Default?:   | null   |
| Question Number: 1 Question Id: 630680185643 Is Question Mandat: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 |  |
| The substance involved in the control of platelet production is  | ·  |
| Options:   |  |
| 1. Plasminogen   |  |
|  |  |
| 2. Thrombopoietin  |  |
| 2.   |  |
| 3. Fibrinogen  |  |
| <i>5.</i>  |  |
| 4. Erythropoietin  |  |
| 4. 7   |  |
|  |  |
| Question Number: 2 Question Id: 630680185644 Is Question Mandat  | tory : No Calculator : None Response Time : N.A Think Time |
| : N.A Minimum Instruction Time : 0   | ory the culculator them response time that think time      |
| Correct Marks: 2 Wrong Marks: 0.5  |  |
| Plasma from which the clotting factors are removed is known a  | as .   |
| Options:   |  |
| Lymph  |  |
| 1. Lymph   |  |
| Course   |  |
| 2. Serum   |  |
| Plagmin  |  |
| 3. Plasmin   |  |
| 4. Platelet  |  |
| 4. Flatelet  |  |
|  |  |
| Question Number: 3 Question Id: 630680185645 Is Question Mandat: N.A Minimum Instruction Time: 0                                   | tory: No Calculator: None Response Time: N.A Think Time    |
| Correct Marks: 2 Wrong Marks: 0.5  |  |
| Vitamin K is essential for the synthesis of the following factors  | except:  |
| Options:   |  |
| Factor IX  |  |

| 2. Factor X  |
|--|
| 3. Factor III  |
| 4. Factor II   |
| Question Number: 4 Question Id: 630680185646 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| The shape of erythrocyte disc is   |
| Options:   |
| 1. Biconvex  |
| 2. Concave   |
| 3. Convex  |
| 4. Biconcave   |
| Question Number: 5 Question Id: 630680185647 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Neutrophils squeeze through the capillary walls in the area of infection through a process called |
| Options :  |
| 1. Decussation   |
| 2. Dysplasia   |
| 3. Deglutition   |
| 4. Diapedesis  |
| Question Number: 6 Question Id: 630680185648 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  |
| The clotting factor, Factor IX is otherwise known as   |
| Options:   |
| 1. Christmas Factor  |
| 2. Hageman Factor  |
| 3. Labile Factor   |
| 4. Stuart Prower Factor  |

 $Question\ Number: 7\ Question\ Id: 630680185649\ Is\ Question\ Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction\ Time: 0$ 

| Correct Marks: 2 Wrong Marks: 0.5   |
|---|
| AIDS is a immunodeficiency disease.   |
| Options:  |
| 1. Secondary  |
| 2. Primary  |
| 3. Tertiary   |
| 4. Quaternary   |
| Question Number: 8 Question Id: 630680185650 Is Question Mandatory: No Calculator: None Response Time: N.A Think Tim: N.A Minimum Instruction Time: 0                                     |
| Correct Marks: 2 Wrong Marks: 0.5   |
| Trichomonas vaginalis is a  |
| Options:  |
| 1. Fungi  |
| 2. Bacteria   |
| 3. Protozoa   |
| 4. Virus  |
| Question Number: 9 Question Id: 630680185651 Is Question Mandatory: No Calculator: None Response Time: N.A Think Tim: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| The type of spirochaete bacteria responsible for producing syphilis is  |
|   |
| Options:  1. Leptospira   |
| 1. Leptospiia   |
| 2. Helicobacter   |
| 3. Borrelia   |
| 4. Treponema  |
| Question Number: 10 Question Id: 630680185652 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 |
| The gene for reverse transcriptase which act as marker for laboratory diagnosis of HIV infection is   |
| Options:  |
| 1. Gag  |
| 2. Tat  |

| 3. Pol   |
|--|
| 4. Env   |
| Question Number: 11 Question Id: 630680185653 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
| Type I hypersensitivity reaction is mediated by antibodies.  |
| Options:   |
| $_{ m 1.}$ IgM   |
| 2. IgA   |
| 3. IgG   |
| 4. IgE   |
|  |
| Question Number: 12 Question Id: 630680185654 Is Question Mandatory: No Calculator: None Response Time: N.A Thinl Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
| Which drug among the following antifungals act by inhibiting the formation of glucan in fungal cell wall?  |
| Options:   |
| 1. Allylamines   |
| 2. Polyenes  |
| 3. Echinocandins   |
| 4. Azoles  |
| Question Number: 13 Question Id: 630680185655 Is Question Mandatory: No Calculator: None Response Time: N.A Thinl Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  is the main mineralocorticoid in humans. |
| Options:   |
| 1. Serotonin   |
| 2. Aldosterone   |
| 3. Cortisol  |
| 4. Androgen  |
|  |

 $Question\ Number: 14\ Question\ Id: 630680185656\ Is\ Question\ Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction\ Time: 0$ 

Correct Marks : 2 Wrong Marks : 0.5

| One among the following drug is a Vitamin K antagonist anticoagulant.   |
|---|
| Options:  |
| 1. Enoxaparin   |
| 2. Dalteparin   |
| 3. Warfarin   |
| 4. Heparin  |
| Question Number: 15 Question Id: 630680185657 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  |
| A drug with high affinity for receptor and high intrinsic activity is a/an  |
| Options:  1. Agonist  |
| 2. Antagonist   |
| 3. Partial agonist  |
| 4. Inverse agonist  |
| Question Number: 16 Question Id: 630680185658 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  |
| The major carrier protein of acidic drugs in the blood stream is  |
| Options:  1. Globulin   |
| 2. Keratin  |
| 3. Ferritin   |
| 4. Albumin  |
| Question Number: 17 Question Id: 630680185659 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Which among the following drug is a reversible carbamate inhibitor used for the treatment of Alzheimer disease?  Options: |
| 1. Tacrine  |
| 2. Galantamine  |

Question Number: 18 Question Id: 630680185660 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 The enteral route of administration depicts one among the following route. **Options:**  Intrathecal 2. Buccal 3. Transdermal 4. Inhalation Question Number: 19 Question Id: 630680185661 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 Dipeptidyl peptidase IV is a protease. **Options:** 1 Threonine 2. Aspartic 3. Cysteine 4. Serine Question Number: 20 Question Id: 630680185662 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 Drugs having hydrazine residues are metabolized by getting conjugated through . **Options:** 1. Acetylation 2. Methylation Glucoronidation 4 Oxidation Question Number: 21 Question Id: 630680185663 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5

One among the following drug is a direct renin inhibitor

**Options:** 

4. Donepezil

| 1. Trandolapril   |
|---|
| 2. Irbesartan   |
| 3. Aliskiren  |
| 4. Fosinopril   |
| Question Number: 22 Question Id: 630680185664 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The drug which is contraindicated due to the possible association with Reye Syndrome is  Options:  1. Aspirin   |
| 2. Sulindae   |
| 3. Indomethacin   |
| 4. Ketorolac  |
| Question Number: 23 Question Id: 630680185665 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The non-opioid analgesic which is a synthetic copy of neuro active con snail toxin is  Options:  1. Ziconotide  2. Fentanyl  3. Diflunisal  4. Etodolac |
| Question Number: 24 Question Id: 630680185666 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Receptor macromolecular perturbation theory fails in substantiating the concept of  Options:  1. Agonism  2. Antagonism  3. Partial agonism             |
| 4. Inverse agonism  |

| Question Number: 25 Question Id: 630680185667 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
|--|
| Which among the following is a respiratory irritant type of asphyxiant poison?   |
| Options:   |
| 1. Carbon monoxide   |
| 2. Carbon dioxide  |
| 3. Hydrogen sulfide  |
| 4. Helium  |
| Question Number: 26 Question Id: 630680185668 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  poisoning decreases haeme synthesis by inactivating ferrochelatase enzyme. |
| Options:   |
| 1. Lead  |
| 2. Arsenic   |
| 3. Copper  |
| 4. Sodium  |
| Question Number: 27 Question Id: 630680185669 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
| Which drug among the following is known to cause respiratory depression?   |
| Options:   |
| 1. Phenothiazine   |
| 2. Levodopa  |
| 3. Strychnine  |
| 4. Clonidine   |
| Question Number: 28 Question Id: 630680185670 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  |
| Correct Marks : 2 Wrong Marks : 0.5  |
| The synonym 'Angel Dust' is referred by addicts for drug.  |
| Options:   |
| 1. Phencyclidine   |

| 2. Dimethyltryptamine  |
|--|
| 3. Mescaline   |
| 4. Tacrine   |
| Question Number: 29 Question Id: 630680185671 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
| During the chemical inactivation of formaldehyde poisoning, treatment with ammonia produces  |
| Options:   |
| 1. Pentaethylene hexamine  |
| 2. Hexamethylene tetramine   |
| 3. Tetraethylene triamine  |
| 4. Diethylene triamine   |
| Question Number: 30 Question Id: 630680185672 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The ingestion of insecticides causes lethal action by inhibition of GABA mediated inhibitory chloride channel Options:  1. Carbamate |
| 2. Glyphosate  |
| 3. Organophosphorus  |
| 4. Pyrethroid  |
| Is Section Default?: null  |
| Question Number: 31 Question Id: 630680185673 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The inorganic energy source used by Nitrosomonas:  |
| Options:   |
| 1. Alcohol   |
| 2. Succinate   |
| 3. Ammonia   |
| 4. Fumarate  |

| Question Number: 32 Question Id: 630680185674 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
|---|
| Growth of lactobacilli within the vaginal vault reduces the pH to approximately and prevents the growth of many   |
| opportunist pathogens:  |
| Options:  |
| 1. 4.5  |
| I. The  |
| 2. 8.5  |
| 3. 9.5  |
| 4. 11.5   |
| Question Number: 33 Question Id: 630680185675 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In bacterial growth curve the lag phase represents: |
| Options:  |
| •   |
| 1. Levelling off  |
| 2. Increase in cell size.   |
| 3. Growth rate  |
| 4. Death  |
|   |
| Question Number: 34 Question Id: 630680185676 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0   |
| Correct Marks: 2 Wrong Marks: 0.5   |
| Unstained bacteria can be counted using   |
| Options:  |
| 1. Phase -contrast microscope   |
| 2. Epifluorescence  |
| 3. Compound light microscope  |
| 4. Turbidimeter   |
| Question Number: 35 Question Id: 630680185677 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  |
| is an example of Positive single-stranded RNA.  |
| Options:  |
| 1. Rhabdovirus  |

| 2. Paramyxovirus  |
|---|
| 3. Orthomyxovirus   |
| 4. Poliovirus   |
| Question Number: 36 Question Id: 630680185678 Is Question Mandatory: No Calculator: None Response Time: N.A Thinl Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| Chlamydospores are formed from cells of   |
| Options:  |
| 1. Sporangia  |
| 2. Parent nuclei  |
| 3. Vegetative hypha   |
| 4. Haploid nuclei   |
| Question Number: 37 Question Id: 630680185679 Is Question Mandatory: No Calculator: None Response Time: N.A Thinl Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Ziehl—Neelsen stain is used to identify  Options: |
| 1. E. Coli  |
| 2. Mycobacteria   |
| 3. Salmonella   |
| 4. Pseudomonas  |
| Question Number: 38 Question Id: 630680185680 Is Question Mandatory: No Calculator: None Response Time: N.A Thinl Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  |
| Crystal violet (CV) dissociates in aqueous solutions to form CV+ and  |
| Options:  |
| 1. Chloride ion   |
| 2. Iodide ion   |
| 3. Fluoride ion   |
| 4 Bromide ion   |

 $Question\ Number: 39\ Question\ Id: 630680185681\ Is\ Question\ Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction\ Time: 0$ 

| Correct Marks: 2 Wrong Marks: 0.5  |
|--|
| To avoid spoilage insulin injection should be stored at  |
| Options:   |
| 1. 15°C to 25°C  |
|  |
| 2. 2°C to 8°C  |
|  |
| 320°C  |
|  |
| 480°C  |
|  |
|  |
| Question Number: 40 Question Id: 630680185682 Is Question Mandatory: No Calculator: None Response Time: N.A Think  |
| Time: N.A Minimum Instruction Time: 0  |
| Correct Marks: 2 Wrong Marks: 0.5  |
| The terminal methyl group of alkyl benzene sulphonates are metabolized by  |
| Options:   |
| degradation of the cyclic nuclei   |
|  |
| $_{2}$ , $\alpha$ – oxidation  |
| Z. W Oxidation   |
| $_{3}$ , $\beta$ - oxidation   |
| 3. P - Orientell   |
| and data   |
| 4. ω – oxidation   |
|  |
|  |
| Outstan Name have 41 Outstan 1d (2000)195(92 to Outstan Mandatana Na Calaulatan Name Democratica Na Think  |
| Question Number: 41 Question Id: 630680185683 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  |
| Time: N.A Minimum Instruction Time: 0  |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:  Streptococcus  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:  Streptococcus  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 One among the following spores resist boiling.  Options:  1. Streptococcus 2. Pseudomonas 3. Bacillus 4. Escherichia coli  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  4. Escherichia coli  Question Number: 42 Question Id: 630680185684 Is Question Mandatory: No Calculator: None Response Time: N.A Think  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  4. Escherichia coli  Question Number: 42 Question Id: 630680185684 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  4. Escherichia coli  Question Number: 42 Question Id: 630680185684 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  4. Escherichia coli  Question Number: 42 Question Id: 630680185684 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 Syringes are commonly sterilized by employing          |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  4. Escherichia coli  Question Number: 42 Question Id: 630680185684 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 Syringes are commonly sterilized by employing Options: |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  4. Escherichia coli  Question Number: 42 Question Id: 630680185684 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 Syringes are commonly sterilized by employing          |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 One among the following spores resist boiling.  Options:  1. Streptococcus  2. Pseudomonas  3. Bacillus  4. Escherichia coli  Question Number: 42 Question Id: 630680185684 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 Syringes are commonly sterilized by employing Options: |

| 3. Beta rays   |   |
|--|---|
| 4. Gamma rays  |   |
| Question Number: 43 Question Id: 630680185685 Is Question Mandatory: No Calculator: None Response Time: N.A Thin Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 | k |
| One among the following sterilization parameter is monitored in dry heat sterilization.  |   |
| Options:   |   |
| 1. Gas concentration   |   |
| 2. Temperature   |   |
| 3. Exposure to radiation   |   |
| 4. Radiation doses   |   |
| Question Number: 44 Question Id: 630680185686 Is Question Mandatory: No Calculator: None Response Time: N.A Thin Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 | k |
| Steam-sterilization temperature employed in moist heat sterilization of pharmaceutical and medical products.   |   |
| Options:   |   |
| 1. 121 °C  |   |
| 2. 160 °C  |   |
| 3. 450 °C  |   |
| 4. 600 °C  |   |
| Question Number: 45 Question Id: 630680185687 Is Question Mandatory: No Calculator: None Response Time: N.A Thin Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 | k |
| One among the following is absent in eukaryotes.   |   |
| Options:   |   |
| 1. Circular chromosome   |   |
| 2. Golgi apparatus   |   |
| 3. Endoplasmic reticulum   |   |
| 4. Mitochondria  |   |
| Is Section Default?: null  |   |
| Question Number: 46 Question Id: 630680185688 Is Question Mandatory: No Calculator: None Response Time: N.A Thin Time: N.A Minimum Instruction Time: 0                                   | k |

Correct Marks: 2 Wrong Marks: 0.5

| is an inherited disorder of galactose metabolism.   |
|---|
| Options:  |
| 1. Anemia   |
| 2. Galactosaemia  |
| 3. Thalassemia  |
| 4. Sickle cell anemia   |
| Question Number: 47 Question Id: 630680185689 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| NADPH is produced in pentose-phosphate pathway is used in   |
| Options:  |
| 1. Purine synthesis   |
| 2. DNA synthesis  |
| 3. RNA synthesis  |
| 4. Fatty acid synthesis   |
| Question Number: 48 Question Id: 630680185690 Is Question Mandatory: No Calculator: None Response Time: N.A Think   |
| Time: N.A Minimum Instruction Time: 0   |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Multiple form of an enzyme catalyzing the same reaction is termed as  |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Multiple form of an enzyme catalyzing the same reaction is termed as  Options:  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Multiple form of an enzyme catalyzing the same reaction is termed as  Options:  1. Co-enzyme  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Multiple form of an enzyme catalyzing the same reaction is termed as  Options:  1. Co-enzyme  2. Isoenzyme  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Multiple form of an enzyme catalyzing the same reaction is termed as  Options:  1. Co-enzyme 2. Isoenzyme 3. Diagnostic enzyme 4. Allosteric enzyme  Question Number: 49 Question Id: 630680185691 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Multiple form of an enzyme catalyzing the same reaction is termed as  Options:  1. Co-enzyme  2. Isoenzyme  3. Diagnostic enzyme  4. Allosteric enzyme  Question Number: 49 Question Id: 630680185691 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5                    |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Multiple form of an enzyme catalyzing the same reaction is termed as  Options:  1. Co-enzyme  2. Isoenzyme  4. Allosteric enzyme  Question Number: 49 Question Id: 630680185691 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The functional enzyme is referred to as |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Multiple form of an enzyme catalyzing the same reaction is termed as  Options:  1. Co-enzyme  2. Isoenzyme  3. Diagnostic enzyme  4. Allosteric enzyme  Question Number: 49 Question Id: 630680185691 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5                    |

| 3. Holoenzyme   |
|---|
| 4. Proenzymes   |
| Question Number: 50 Question Id: 630680185692 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Translocation brought about by elongation is called as translocase. |
| Options:  |
| 1. Factor A   |
| 2. Factor C   |
| 3. Factor E   |
| 4. Factor G   |
| Question Number: 51 Question Id: 630680185693 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| is the starting material for ketogenesis.   |
| Options:  |
| 1. Acetyl CoA   |
| 2. Acetoacetate   |
| 3. Aceto-acetyl CoA   |
| 4. Acetophenone   |
|   |
| Question Number: 52 Question Id: 630680185694 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  |
| Alpha amino beta phenyl propionic acid is  Options:   |
| 1. Tyrosine   |
|   |
| 2. Phenylalanine  |
| 3. Alanine  |
| 4. Glycine  |
|   |

Question Number: 53 Question Id: 630680185695 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0
Correct Marks: 2 Wrong Marks: 0.5

| are the chief source of histamine in the circulating cells.   |
|---|
| Options:  |
| 1. Erythrocytes   |
| 1. * *  |
| Lymphocytes   |
| 2. Lymphocytes  |
|   |
| 3. Basophils  |
|   |
| 4. Neutrophils  |
| 4. Treatispinis   |
|   |
|   |
| Question Number: 54 Question Id: 630680185696 Is Question Mandatory: No Calculator: None Response Time: N.A Think   |
| Time: N.A Minimum Instruction Time: 0   |
| Correct Marks : 2 Wrong Marks : 0.5   |
| DNA synthesis occurs during the phase of the cell cycle.  |
| Options:  |
| 1. M Phase  |
| I. WITHOSE  |
| Mt Dhara  |
| 2. M1 Phase   |
|   |
| 3. S Phase  |
|   |
| 4. G Phase  |
|   |
|   |
|   |
| Ouestion Number: 55 Question Id: 630680185697 Is Question Mandatory: No Calculator: None Response Time: N.A. Think  |
| Question Number: 55 Question Id: 630680185697 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0   |
| Time: N.A Minimum Instruction Time: 0   |
| Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  is a test tube method for amplifying a selected DNA sequence.  Options:                               |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  is a test tube method for amplifying a selected DNA sequence.   |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  is a test tube method for amplifying a selected DNA sequence.  Options:  1. Polymerase chain reaction |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  is a test tube method for amplifying a selected DNA sequence.  Options:                               |
| Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In the diazotization titrations, the most commonly used titrant is  Options:  1. Sodium thiosulphate  2. Sodium carbonate  3. Sodium sulphite  4. Sodium nitrite  Question Number: 56 Question Id: 630680185698 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  is a test tube method for amplifying a selected DNA sequence.  Options:  1. Polymerase chain reaction |

| Question Number: 57 Question Id: 630680185699 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
|--|
|  |
| occurs once in every 500 nucleotides or about 10 <sup>7</sup> times per genome.  |
| Options:  Polymorphism   |
| 1. Torymorphism  |
| 2. Genetic mutation  |
| 3. Rearrangement of DNA  |
| 4. Protein production  |
| Question Number: 58 Question Id: 630680185700 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
| Dragendorff reagent is a solution of   |
| Options:   |
| 1. Potassium mercuric iodide   |
| 2. Phosphotungstic acid  |
| 3. Saturated Picric acid   |
| 4. Potassium Bismuth iodide  |
| Question Number: 59 Question Id: 630680185701 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The sample cell in an IR spectrophotometer is made up of  Options:  1. Glass |
| 2. Quartz  |
| 3. Potassium bromide   |
| 4. Polystyrene   |
| Question Number: 60 Question Id: 630680185702 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In isocratic elution technique.  Options:                                    |

4. Reduction reaction

| 1. The same solvent is used   |
|---|
| 2. The same solvent composition is used   |
| 3. Only one solvent is used   |
| 4. Mixture of solvents cannot be used   |
| Question Number: 61 Question Id: 630680185703 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  In normal phase chromatography, the stationary phase is  Options:  1. Polar |
| 2. Nonpolar   |
| 3. Moderately polar   |
| 4. Weak adsorbent   |
| Question Number: 62 Question Id: 630680185704 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The principle of separation in GLC is  Options:  1. Adsorption              |
| 2. Partition  |
| 3. Ion exchange   |
| 4. Gel permeation   |
| Question Number: 63 Question Id: 630680185705 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0   |
| Correct Marks: 2 Wrong Marks: 0.5  In the limit test for iron, the following compound helps to prevent the precipitation iron as ferrous hydroxide.  Options:  1. Ammonia   |
| Correct Marks: 2 Wrong Marks: 0.5  In the limit test for iron, the following compound helps to prevent the precipitation iron as ferrous hydroxide.  Options:   |
| Correct Marks: 2 Wrong Marks: 0.5  In the limit test for iron, the following compound helps to prevent the precipitation iron as ferrous hydroxide.  Options:  1. Ammonia   |

| Question Number: 64 Question Id: 630680185706 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  |
|--|
| Correct Marks: 2 Wrong Marks: 0.5  |
| Sterility testing is done to prevent the contaminations by in parenteral preparations  |
| Options:   |
| 1. Atmosphere  |
| 2. Microbes  |
| 3. Particles   |
| 4. Packaging materials   |
| Question Number: 65 Question Id: 630680185707 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Gutzeit test is used in the limit test for   |
| Options:   |
| 1. Lead  |
| 2. Iron  |
| 3. Heavy metals  |
| 4. Arsenic   |
| Question Number: 66 Question Id: 630680185708 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Expanded form of dithizone, which is used in the limit test for lead is:                                       |
| Options:   |
| 1. Diphenyl carbazone  |
| 2. Diphenyl thioazone  |
| 3. Diphenyl thiocarbazone  |
| 4. Diphelamine   |
| Question Number: 67 Question Id: 630680185709 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  are applied with the help of a tooth brush for cleaning the surface of the teeth.  Options:  1. Dusting powder |

| 2. Surgical powder  |
|---|
| 3. Dentifrices  |
| 4. Insufflations  |
| Question Number: 68 Question Id: 630680185710 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 |
| are viscous liquid oral preparations that are generally prescribed for the relief of cough.   |
| Options:  1. Liniments  |
| 2. Elixirs  |
| 3. Linctus  |
| 4. Gargles  |
| Question Number: 69 Question Id: 630680185711 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 |
| are added to improve the appearance of tablets, flow properties of granules and to prevent the sticking of the materials to the dies and punches.   |
| Options:  |
| 1. Disintegrating agents  |
| 2. Lubricants   |
| 3. Binding agents   |
| 4. Diluent  |
| Question Number: 70 Question Id: 630680185712 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5 |
| The frictional forces in case of loose powder are measured by the   |
| Options:  |
| 1. Dissolution test   |
| 2. Uniformity of weight   |
| 3. Disintegration test  |
| 4. Angle of repose  |

| Question Number: 71 Question Id: 630680185713 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
|---|
| are made into subarachnoid space that surrounds the spinal card.  |
| Options:  |
| 1. Peridural injections   |
| 2. Intracerebral injections   |
| 3. Intracardiac injections  |
| 4. Intrathecal injections   |
| Question Number: 72 Question Id: 630680185714 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| Fluorescence test is used as test for identification of   |
| Options:  |
| 1. Tablets  |
| 2. Capsules   |
| 3. Powders  |
| 4. Emulsions  |
| Question Number: 73 Question Id: 630680185715 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  List of Ayrvedic and Unani poisons including Siddha special provisions are included in Schedule |
| Options:  |
| 1. E1   |
| 2. E2   |
| 3. F1   |
| 4. F2   |
| Question Number: 74 Question Id: 630680185716 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| The first edition of Indian pharmacopoeia was brought out in  |
| Options:  |
| 1. 1955   |
| 2. 1956   |

- 3. 1957
- 4. 1958

Question Number: 75 Question Id: 630680185717 Is Question Mandatory: No Calculator: None Response Time: N.A Think

Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5

Following are the ex-officio members of PCI EXCEPT.

### **Options:**

- Drug controller of India
- 2 Director of general health services
- 3. Director of central drug laboratory
- 4 Drug inspector

Is Section Default?:

null

Question Number: 76 Question Id: 630680185718 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

According to which act the 'advertisement' includes any notice, circular, label, wrapper or other document, and any announcement made orally or by any means of producing or transmitting light, sound or smoke.

#### **Options:**

- 1. The Pharmacy Act
- 2. Drugs and Magic Remedies Act
- The Poisons Act
- 4. The Patents Act

 $\label{eq:Question Number: 77 Question Id: 630680185719 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0$ 

Correct Marks: 2 Wrong Marks: 0.5

According to the Excise Duties Act-1955, who is the licensing authority in the case of bonded manufactory of alcoholic preparations?

- Excise Officer
- 2 Drug Inspector
- 3 Narcotic Officer
- 4 Excise Commissioner

| Question Number: 78 Question Id: 630680185720 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The dware and substances specified in which schedule of the Narcetic Dware and Psychotropic Substances Act 1085 are           |
|---|
| The drugs and substances specified in which schedule of the Narcotic Drugs and Psychotropic Substances Act-1985 are generally prohibited from importing into and exporting out of India?  |
| Options:  |
| 1. Schedule I   |
| 2. Schedule II  |
| 3. Schedule III   |
| 4. Schedule IV  |
| Question Number: 79 Question Id: 630680185721 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |
| The Drugs are statutorily recognized as what?   |
| Options:  1. Essential commodity  |
| 2. Non-Essential commodity  |
| 3. Scheduled formulations   |
| 4. Non-Scheduled formulations   |
| Question Number: 80 Question Id: 630680185722 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  According to Drugs (Price Control) Order 2013, "Scheduled formulation" means any formulation included in schedule of the act. |
| Options:  |
| 1. First  |
| 2. Second   |
| 3. Third  |
| 4. Fourth   |
| Question Number: 81 Question Id: 630680185723 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  Below are the main objectives of pharmaceutical policy 2002, EXCEPT.  |
| Options:  |

1. Ensuring abundant availability drugs at reasonable prices

- 2. Indigenous cost-effective production of drugs
- Encouraging R&D in the pharmaceutical sector
- Encouraging Import of Essential Drugs

Question Number: 82 Question Id: 630680185724 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Which Schedule of the Drugs and Cosmetics Act-1940 contains the fees structure for Drug testing/analysis in government-run labs?

# **Options:**

- 1 Schedule A
- 2. Schedule B
- 3. Schedule M
- 4. Schedule Y

Question Number: 83 Question Id: 630680185725 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Schedule M-II of the Drugs and Cosmetics Act-1940 deals with requirement of factory premises for manufacturing of:

Options:

- 1. Homeopathic preparations
- Cosmetic products
- Medical devises
- 4. Surgical dressings

Question Number: 84 Question Id: 630680185726 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

According to the Drugs and Cosmetics Act-1940, which of the following category of drugs is prohibited from import into India?

- 1. Drug formulation
- 2. Bulk drug
- 3 Active pharmaceutical ingredient

4. Spurious drug

Question Number: 85 Question Id: 630680185727 Is Question Mandatory: No Calculator: None Response Time: N.A Think

Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5

According to the Drugs and Cosmetics Act-1940, drugs listed in which Schedule are exempted from the provisions related to import of drugs?

# **Options:**

- Schedule A
- Schedule B
- 3. Schedule D
- 4. Schedule Y

 $\label{eq:Question Number: 86 Question Id: 630680185728 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0$ 

Correct Marks: 2 Wrong Marks: 0.5

Drugs specified in which schedule shall be sold or offered for sale unless it has been sealed in a previously sterilized container.

# **Options:**

- Schedule A
- 2. Schedule B
- 3. Schedule C
- Schedule N

Question Number: 87 Question Id: 630680185729 Is Question Mandatory: No Calculator: None Response Time: N.A Think

Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Under the Drugs and Cosmetics Act-1940, the Central Drug Standard Control Organisation (CDSCO) is responsible for:

## **Options:**

- Regulation of drugs manufacturing
- Approval of new drugs
- Regulation of drugs sale
- Regulation of drugs distribution

Question Number: 88 Question Id: 630680185730 Is Question Mandatory: No Calculator: None Response Time: N.A Think

Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

| is a system for ensuring that drug products are consistently produced and controlled according to quality  |
|--|
| standards.   |
| Options:   |
| 1. Good Clinical Practice  |
| 2. Good Laboratory Practice  |
| 3. Good Manufacturing Practice   |
| 4. Good Dispensing Practice  |
| Question Number: 89 Question Id: 630680185731 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5  |
| The first WHO draft text on GMP was adopted in which year?   |
| Options:   |
| 1. 1968  |
| 2. 1978  |
| 3. 1988  |
| 4. 2008  |
| Question Number: 90 Question Id: 630680185732 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0                                    |
| Correct Marks: 2 Wrong Marks: 0.5  Below is an example for Class I residual solvent, which needs be avoided in the manufacturing and processing of herbal                                  |
|  |
| preparations.  |
| Options:  1. Methanol  |
| 1. Wedianor  |
| 2. Hexane  |
| 3. Ethanol   |
| 4. Benzene   |
| Question Number: 91 Question Id: 630680185733 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5 |
| markers are the constituents that contribute to therapeutic activities.  |
| Options:   |
| 1. Analytical Markers  |
| 2. Active Markers  |

| 3. Negative markers   |      |  |
|---|------|--|
| 4. Phantom markers  |      |  |
| Question Number: 92 Question Id: 630680185734 Is Question Mandat Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The predominant flavanone type of flavonoid found in grapefrui Options:  1. Apigenin  2. Naringenin  3. Quercetin                                  |      |  |
| 4. Genistein  |      |  |
| Question Number: 93 Question Id: 630680185735 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0  Correct Marks: 2 Wrong Marks: 0.5  The predominant flavanone type of flavonoid found in the citrus fruits is:  Options:  1. Apigenin |      |  |
| 2. Catechin   |      |  |
| 3. Hesperidin   |      |  |
| 4. Genistein  |      |  |
| Is Section Default? :   | null |  |
| Question Number: 94 Question Id: 630680185736 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0 Correct Marks: 2 Wrong Marks: 0.5   |      |  |

Three statements are given followed by three conclusions numbered I, II, and III. Assuming the statements to be true, even if they seem to be at variance with commonly known facts, decide which of the conclusions logically follow(s) from the statements?

#### Statements:

- 1) Some climbers are plants.
- 2) All plants are trees.
- 3) Some climbers are strong.

#### Conclusions:

- Some plants are strong.
- II. Some trees are strong.
- III. No plant is strong.

### **Options:**

- 1. Only conclusion I follows
- Only conclusion II follows
- 3. Either conclusion II or III follows
- 4. Both conclusions I and II follow

 $Question\ Number: 95\ Question\ Id: 630680185737\ Is\ Question\ Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction\ Time: 0$ 

Correct Marks: 2 Wrong Marks: 0.5

Three statements are given followed by three conclusions numbered I, II, and III. Assuming the statements to be true, even if they seem to be at variance with commonly known facts, decide which of the conclusions logically follow(s) from the statements?

#### Statements:

- 1) Some cups are saucers.
- 2) No saucer is a pan.
- 3) All pans are mugs.

#### Conclusions:

- Some pans are cups.
- II. No cup is a pan.
- III. Some mugs are saucers.

- 1. Only conclusion I follows
- Only conclusion III follows
- 2 Either conclusion II follows or conclusions I and III together follow
- Either conclusion I or II follows, but III is uncertain

Question Number: 96 Question Id: 630680185738 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Read the given statements and conclusions carefully. Assuming that the information given in the statements is true, even if it appears to be at variance with commonly known facts, decide which of the given conclusions logically follow(s) from the statements.

#### Statements:

I use social media only if I am bored. I am not bored when I have my friend's company.

### Conclusions:

- If I am bored, I seek my friend's company.
- I don't use social media when my friend is present.

#### **Options:**

- Only conclusion I follows
- 2 Only conclusion II follows
- Both conclusion I and II follow
- Neither conclusion I nor II follows

Question Number: 97 Question Id: 630680185739 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Three of the following four figures are alike in a certain way and one is different. Select the odd one.









- 1. A
- 2. **B**
- 3. C


# 4. D

Question Number: 98 Question Id: 630680185740 Is Question Mandatory: No Calculator: None Response Time: N.A Think

Time: N.A Minimum Instruction Time: 0

**Correct Marks: 2 Wrong Marks: 0.5** 

Three of the following four figures are alike in a certain way and one is different. Select the odd one.



# **Options:**

- 1. D
- 2. C
- 3. B
- 4. A

Question Number: 99 Question Id: 630680185741 Is Question Mandatory: No Calculator: None Response Time: N.A Think Time: N.A Minimum Instruction Time: 0

Correct Marks: 2 Wrong Marks: 0.5

Three statements are given followed by three conclusions numbered I, II, and III. Assuming the statements to be true, even if they seem to be at variance with commonly known facts, decide which of the conclusions logically follow(s) from the statements?

#### Statements:

- 1) All sparrows are pigeons.
- 2) Some sparrows are crows.
- 3) All crows are kites.

#### Conclusions:

- All pigeons are kites.
- Some kites are pigeons.
- III. All sparrows are kites.

- 1. Only conclusion I follows
- 2 Only conclusion II follows
- 3. Only conclusion III follows

# 4. Either conclusion I or II follows

 $Question\ Number: 100\ Question\ Id: 630680185742\ Is\ Question\ Mandatory: No\ Calculator: None\ Response\ Time: N.A\ Think\ Time: N.A\ Minimum\ Instruction\ Time: 0$ 

Correct Marks: 2 Wrong Marks: 0.5

Which Letter-number cluster will replace the question mark (?) in the following alpha-numeric series to make it logically complete?

TG61, QJ56, NM52, KP49, ?

- 1. IR47
- 2. HS52
- 3. IR52
- 4. HS47